



Simply Better


**Flooring
Underlay
Accessories**

Edition 2



Standing up for better floors

CONTENTS



Corporate Intro

Welcome to QA
QA stands for
Quality Assured

Flooring

- 8** Flooring Introduction
- 13** 3D Room Application
- 14** Flooring Patterns
- 20** Luvanto Products
- 55** Design Patterns
- 58** Installation Guidelines
- 59** Livello Underlay
- 60** Accessories
- 61** Caring for your Floor
- 62** Technical Data
- 64** Luvanto Click
- 75** Finishing Strips
- 76** Accessories
- 77** Technical Data

Underlays

- 78** Underlay Introduction
- 82** Traffilay System
- 84** Wood Underlays
- 106** Carpet Underlays
- 126** Professional Systems

Accessories

- 135** Contents Page
- 136** Standard Profiles
- 140** Heavy Duty Profiles
- 141** Self Adhesive Profiles
- 143** Retail Packs
- 145** Stair Nosings
- 150** Gripper
- 151** Finishing Strips
- 152** Scotia Beading
- 153** Adhesives
- 154** Tapes
- 157** Tools
- 160** Flooring Paper
- 161** Floor Protectors
- 162** Packaging



WELCOME TO QA.

SIMPLY BETTER. IN TWO WORDS, IT SUMS UP WHAT WE'RE ALL ABOUT.

When we started, the flooring market - particularly underlay - suffered from little innovation, low margins and poor service. From the outset, we challenged that. And we still do.

Fact is, flooring relies on underlay for much more than most people realise - adding warmth, reducing noise, improving comfort and more. So we've always led the way in helping customers understand more about the complete flooring solution, and the difference underlay can make. With our latest collection - including flooring and accessories as well as underlay - we've taken this even further.



We're always on the lookout for new ideas and systems to help us make your world Simply Better, and we have some innovative new products too! The details of our entire range are laid out in an easy to use format, designed to make QA's products easier to sell. And as ever, you can expect outstanding support for both you and your customers.

Keeping it simple. Always being better... That's what QA is all about.

THE QA TEAM

QA Flooring

Beautiful. Stylish. Luxurious. QA's Luvanto range of vinyl flooring looks and feels like real wood or stone – but it's simply better. It's warm to the touch, for instance; very quiet underfoot; and unlike the natural materials it echoes, Luvanto needs minimal maintenance. It's extremely hygienic, and thanks to innovative technology very hardwearing – making it suitable for domestic or commercial use.



QA Underlay

Some people still think all underlay is the same. But one look at our huge range tells you it's not. Whether it's to reduce noise, enhance underfloor heating or keep its shape under pressure, we've an underlay to suit. And with options for carpet, wood or laminate or other floor types, easy fitting and ultra-hardwearing installations, our underlay's about choice as much as comfort.

QA Accessories

They're at the core of your business. The things every professional carpet and flooring fitter needs, day in, day out. From tapes to tools, paper to packaging, stair nosings to scotia, our wide range of accessories will help you do a simply better job.

To help your business sell more QA products, we also have a full range of Point of Sale display units available.

TRAFFILAY

3 simple steps to your perfect underlay.

It's tucked away, but underlay's full of hidden talents. That's why it's so important to choose the right one. So we created Traffilay.

It's revolutionary yet extremely straightforward: a three-step system designed to help customers easily find the right underlay for their home, and help you find sales opportunities for your business.

It all starts with traffic – how much an area is used. Then choose what sort of installation it is – wood, carpet or other material. And finally the benefits that matter most, such as cushioning, insulation or durability. There – finding the perfect underlay's never been quicker. Or easier.

STEP 1

Choose the traffic level and flooring type.

LIGHT – e.g. Bedrooms

MEDIUM – e.g. Living Rooms

HEAVY – e.g. Halls, Stairs, Landings

STEP 2

Choose the benefits you want.

STEP 3

Choose the most suitable product helped by our performance ratings from 1 to 9.

See page 82 for full details of the Traffilay system.



OUR WARRANTY

'IF THERE'S ANYTHING YOU'RE NOT HAPPY WITH - ANYTHING AT ALL - WE'LL PUT IT RIGHT. QUICKLY, HONESTLY AND GENEROUSLY.'


QA. IT SIMPLY STANDS FOR QUALITY ASSURED.

No hassle. No unanswered calls. No loose ends. You simply want to know you can trust the products and people you're dealing with. After all, it could be your trade reputation at stake - or the comfort of your home.

With QA, you can expect guaranteed reliability - every time.

When we say we offer you a complete flooring solution, we mean complete - including going the extra mile to make sure you're happy with every aspect of our service.

And even though we've got over 300 product options, whatever you get from us is covered by one straightforward warranty.



WHAT OUR QUALITY CARE PROGRAMME MEANS FOR YOU:

Your complaint will always be looked into by a dedicated member of our Management Team who'll log, investigate and settle it to your satisfaction.

You'll always have someone to speak to either on the phone or in a personal visit.

You can rely on us having the product you want.

Your order will always be despatched quickly, efficiently, and on time.

You'll be 100% satisfied with our service - just as you were, when we won your business in the first place.



Like everything else we do, we've kept our warranty very simple. It's easy to understand, it does what it says. It's one of the best in the business.

That's because we believe in treating you the way we like to be treated ourselves. Sometimes though, things can go wrong - and if they do, that's where our Quality Care programme comes in.

Our aim is for 100% satisfaction. But if for any reason you're not happy, you can be sure we'll do something about it.

'I like the fast deliveries and I always find your drivers and office staff very helpful.'

Flooring retailer, Altrincham, Cheshire

'Your staff are very helpful and you always respond quickly to any queries I have.'

Flooring retailer, North London

'You are good people to deal with - I like the friendly staff.'

Flooring retailer, Glasgow



Simply Better

Flooring

We've been working with flooring for many years. So we've a pretty good idea what people are looking for. And with our Luvanto range they'll find it, in a beautiful combination of timeless natural looks with the advantages of hardwearing vinyl.

QA

Luvanto

Luxury Vinyl Flooring



Flooring designed for life...your life.

Stunningly realistic, beautifully practical, surprisingly affordable. Luvanto luxury vinyl flooring is all this and more – taking its inspiration from nature and bringing timeless style to your home. And it's style that lasts.

That's because Luvanto is designed for durability, with a heavy duty 0.5mm wear layer able to take the knocks. Unlike natural materials, it's easy to maintain. And with a surface so easy to keep clean it's extremely hygienic.



A touch of luxury.

In fact, Luvanto's surface is one of its most attractive features. It not only has an impressively realistic texture of wood or stone, but it's warm to the touch – so much nicer and more luxurious to walk on.

Is it wood? Or Luvanto?

It's the realism that sets Luvanto apart. The colours and appearance are so accurate it gives you the distinctive beauty and style of natural materials... at a fraction of the cost.

Right for every room.

Everyone's tastes – and space – are different, of course. But from hallway to kitchen to bedroom to bathroom, whether you prefer rustic chic or smooth elegance, there's a Luvanto floor that's simply perfect for your life.

Luvanto floats every boat.

Luvanto is so versatile that a range has been developed to be installed on ships. Whether it be a small ferry or a luxury ocean liner, flooring on ships has to meet extremely demanding standards of fire resistance and smoke emissions in the event of a fire. And the new Luvanto FR Marine version meets all the IMO regulations. It just proves that Luvanto can be adapted for varied and demanding applications.

Why should you choose Luxury Vinyl Flooring over other floor coverings?

Hardwearing.

Luxury vinyl flooring resists scratches, stains and scuffs much better than other floor coverings. Our Luvanto range has a 0.5mm wear layer, which makes it suitable to withstand everyday wear and tear without losing its good looks.

Easy to maintain.

Luxury vinyl flooring requires minimal ongoing maintenance, unlike natural wood or stone flooring, which require regular and costly restoration. We supply a floor care kit for Luvanto flooring, which is all you need to keep the floor looking good for many years.

Authentic look.

Luxury vinyl flooring has a décor film which is a very realistic copy of actual wood or stone. Combined with surface embossing which replicates the grain finish of the wood or stone, it's hard to tell it apart from the real thing... except that it feels softer and warmer underfoot.

Cost efficient.

Luxury vinyl flooring replicates the look and feel of natural wood or stone flooring, but costs much less than these floor coverings.

Slip resistant.

Luxury vinyl flooring is very slip resistant, especially if it has a textured surface. Luvanto flooring has a slip resistance value of R10 (DIN 51130) and meets the Low Slip Potential classification for the Pendulum Test (BS 7976-2: 2002).

Water resistant.

Luxury vinyl flooring is naturally water resistant so will not be damaged by liquid spills on the floor. This makes it perfect for kitchens, bathrooms and also restaurant and bar areas.

Hygienic.

Luxury vinyl flooring is easier to clean than other floor coverings, as it does not trap dirt and germs. This makes it safer for kitchen and dining areas.

Here at QA, we want to make selling Luvanto a Simply Better experience.

So we offer Point of Sale displays and presentation resources to help showcase our products and help your customers see the benefits of Luvanto for themselves.

The Display Solution

The compact design of our display stands means that it will fit in almost any space without losing its impact. There's room to store samples and brochures too!

Designed for Durability

The sturdy steel frame means it'll stand up to wear and tear and it's also easy to move around, giving you flexibility with your displays.

Our sample folders make it easy to browse the full range of colours at a glance.



3D Room Application.

Create your own room in 3 simple steps using the 3D interactive room design on our website
www.qaflooringsolutions.com

You don't need to try and imagine which Luvanto floor will look the best in your room space - you can see it for real!

You can either use one of the preloaded room spaces on the website or, for a small fee, you can upload a picture of your actual room and see how Luvanto will make a real difference!




Step 1.

Choose a colour for your walls.



Step 2.

Choose a style of Luvanto flooring.



Step 3.



Choose a floor laying angle.



Special design flooring patterns.

If you want a floor that really makes a statement then Luvanto design flooring patterns are the answer. You can choose one of the striking design patterns shown on the next few pages and order this in any combination of colours from the Luvanto range, to make a really bespoke floor!

We make the flooring specifically to your requirements, so you need to allow a few days extra when ordering a design pattern. These patterns are all square edge, so please discuss with us if you want to include design strips in your flooring.



CREATE
A **STATEMENT**
FLOOR

FOR A STYLISH LOOK.



STANDARD HERRINGBONE

Plank size - 72mm x 216mm / Square Edge / Minimum order 5m² per colour (10m² if ordering a 2 colour combination) / RRP £59.99/m² (£49.99/m² ex. VAT)



HERRINGBONE HALF-PLANK

Plank size - 144mm x 422mm / Square Edge / Minimum order 5m² per colour (10m² if ordering a 2 colour combination) / RRP £69.99/m² (£58.33/m² ex. VAT)



HERRINGBONE PLEAT

Plank size - 72mm x 216mm / Square Edge / Minimum order 5m² per colour (10m² if ordering a 2 colour combination) / RRP £69.99/m² (£58.33/m² ex. VAT)



BASKET WEAVE

Plank size - 72mm x 288mm (sticks), 108mm x 108mm (squares) / Square Edge / Minimum order 5m² per colour (10m² if ordering a 2 colour combination) / RRP £69.99/m² (£58.33/m² ex. VAT)



HEXAGONS

Hexagon size - 130mm x 150mm / Square Edge / Minimum order 5m² per colour (10m² if ordering a 2 colour combination) / RRP £69.99/m² (£58.33/m² ex. VAT)



KEYSTONE

Tile size - 305mm x 305mm (main tiles), 50mm x 50mm (keystones) / Square Edge / Minimum order 5m² (including a different colour for the keystones) / RRP £69.99/m² (£58.33/m² ex. VAT)

Feature logo motifs.


Luvanto flooring can be cut into intricate shapes to create an eye-catching centrepiece feature in a room

Feature logos are cut by waterjet from a CAD drawing. Any combination of Luvanto colours can be used, so there is really no limit to how much the floor can be customised.

Why not speak to us about an idea you have got? We will help you turn vision into reality!


Step 1.

We put pen to paper and sketch out an idea.



Step 2.

We convert the sketch into a proper CAD drawing.



Step 3.

The flooring is cut to shape and assembled.



The final result.



Special feature borders.

Add the finishing touch to your Luvanto floor by using special tramlines and in-fill border planks around the perimeter of the room.

You can choose any combination of colours to make the tramlines or border planks. We make these to your requirements, so you can finish off the floor your way!



Tramline Borders

These are made up of 3 strips of colour in 3mm-10mm-3mm assembly. You can combine 2 colours together.

Dimensions - 16mm x 912mm / Minimum order 10 lengths / RRP £4.99/length (£4.16/length ex. VAT)



Border Planks

These are full size planks and each plank has 3 square in-fills. You can choose a contrasting colour for the in-fills.

Dimensions - 152mm x 914mm / Minimum order 10 planks / RRP £14.99/plank (£12.49/plank ex. VAT)

SPACE AND LIGHT –
THE **PERFECT**
COMBINATION
FOR MODERN LIVING.

BLEACHED LARCH



All colours can be viewed on our website
www.qaflooringsolutions.com

BLEACHED LARCH / QAF-LVP-05

WHITE OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

WHITE OAK / QAF-LVP-26

Plank size available – 184mm x 1219mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)



WINTER OAK

I JUST
LOVE THE
WARM,
RUSTIC
COLOURS –
DON'T YOU?

WINTER OAK / QAF-LVP-28

WINTER OAK



All colours can be viewed on our website
www.qaflooringsolutions.com



FRENCH OAK

FRENCH OAK / QAF-LVP-09

Plank size available - 152mm x 914mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)

WHITE WASHED OAK



All colours can be viewed on our website
www.qaflooringsolutions.com



WHITE WASHED OAK / QAF-LVP-03

Plank size available - 152mm x 914mm / Wood Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £28.99/m² (£24.16/m² ex. VAT)


NATURAL OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

IT WAS THE
COLOUR
THAT DID IT -

SUCH A BEAUTIFUL,
WARM SHADE OF OAK.



NATURAL OAK / QAF-LVP-01 / QAF-LVP-21 (LARGE)

Plank sizes available - 152mm x 914mm / Wood Emboss, Bevelled Edge / 184mm x 1219mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex. VAT)



'Want to know the perfect way to de-stress? It's really simple. Just turn off your laptop and turn on the tap. Don't forget to light a few candles around the room and add a pinch of your favourite bath salts, then slip slowly into a deep, soothing, gorgeous state of relaxation, surrounded by nothing but lovely hot water.

And there's nothing nicer after an indulgent soak than stepping out onto warm, comfortable Luvanto under your feet. Sheer bliss!

**COUNTRY OAK****COUNTRY OAK / QAF-LVP-12 / QAF-LVP-23 (LARGE)**

COUNTRY OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

DISTRESSED OLIVE WOOD



All colours can be viewed on our website
www.qaflooringsolutions.com



'It's funny, wherever we
go in the world
there really is no place
like home!'

DISTRESSED OLIVE WOOD / QAF-LVP-08



DUSKWOOD

DUSKWOOD / QAF-LVP-04

Plank size available - 152mm x 914mm / Wood Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £28.99/m² (£24.16/m² ex. VAT)

NATURAL SAWN



All colours can be viewed on our website
www.qaflooringsolutions.com



NATURAL SAWN / QAF-LVP-15

Plank size available - 152mm x 914mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)



Luvanto

Luxury Vinyl Flooring



All colours can be viewed on our website
www.qaflooringsolutions.com



RUSTIC WASHED

RUSTIC WASHED / QAF-LVP-07

30

Plank size available - 152mm x 914mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)

IF YOU
WANT TO
KNOW
HOW
REALISTIC
IT IS-
JUST GET DOWN
AND TOUCH IT!



SUN BLEACHED SPRUCE

SUN BLEACHED SPRUCE / QAF-LVP-19

Plank size available - 152mm x 914mm / Registered Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)

'There we go...
ready for anything!'



BLACK WASH OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

DON'T YOU
JUST LOVE THAT
WEATHERED
LOOK?

I do!

BLACK WASH OAK / QAF-LVP-14



Luvanto

Luxury Vinyl Flooring



ANTIQUE OAK

All colours can be viewed on our website
www.qaflooringsolutions.com

ANTIQUE OAK / QAF-LVP-06 / QAF-LVP-22 (LARGE)

Plank size available - 152mm x 914mm / Wood Emboss, Bevelled Edge / 184mm x 1219mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex. VAT)



OAK AUTUMN

OAK AUTUMN / QAF-LVP-17

Plank size available - 152mm x 914mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)

MEXICAN REDWOOD



All colours can be viewed on our website
www.qaflooringsolutions.com




MEXICAN REDWOOD / QAF-LVP-20

Plank size available - 152mm x 914mm / Registered Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)

I JUST FELL
IN LOVE-
WITH THE RICH,
DARK TONES

STRAIGHT AWAY!



All colours can be viewed on our website
www.qaflooringsolutions.com

WALNUT

WALNUT / QAF-LVP-16 / QAF-LVP-25 (LARGE)

Plank sizes available - 152mm x 914mm and 184mm x 1219mm / Deep Emboss, Bevelled Edge /
Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex. VAT)

EBONY



All colours can be viewed on our website
www.qaflooringsolutions.com

EBONY / QAF-LVP-13 / QAF-LVP-24 (LARGE)

36 Plank sizes available - 152mm x 914mm and 184mm x 1219mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex.VAT)

IT LOOKS
NOTHING SHORT
OF **STUNNING**-
AGAINST THE WHITE WALLS.



EBONY



'I remember that last barbecue we had. Everything was going really well...the kids were playing football, we were chatting away and Gary had just started cooking when of course, the heavens opened...and I mean opened! It was so funny - we all got soaked, in spite of running in through the patio doors!

Everyone was worried about the muddy footprints, but I told them not to - Luvanto's made of tougher stuff than that!'

'Just golden brown, with a smear of butter and lashings of strawberry jam - amazing?'



BLACK ASH

SO MANY
PEOPLE HAVE
ASKED HOW
MUCH OUR
GORGEOUS
WOODEN
FLOORING
COST-

I NEVER LET ON THAT
IT'S LUVANTO!

BLACK ASH / QAF-LVP-27

BLACK ASH



All colours can be viewed on our website
www.qaflooringsolutions.com

IT'S SO
**EASY TO
CLEAN** –

THERE'S JUST
NO FUSS!



WARM WHITE STONE



All colours can be viewed on our website
www.qaflooringsolutions.com

WARM WHITE STONE / QAF-LVT-15

BEIGE STONE



All colours can be viewed on our website
www.qaflooringsolutions.com



'My favourite bit of the day is wrapping myself in a warm towel after a hot soak. Bliss!'


BEIGE STONE / QAF-LVT-01 / QAF-LVT-07 (RECTANGLE TILE)

Tile sizes available - 305mm x 305mm and 305mm x 610mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex. VAT)

WHITE PORCELAIN



All colours can be viewed on our website
www.qaflooringsolutions.com



'It might only be small,
but it still means 'winner'!'

WHITE PORCELAIN / QAF-LVT-06



SANDSTONE



All colours can be viewed on our website
www.qaflooringsolutions.com

'Aaaah...bath time. It's simply
the perfect way to de-stress!'

SANDSTONE / QAF-LVT-05 / QAF-LVT-11 (RECTANGLE TILE)

Tile sizes available - 305mm x 305mm and 305mm x 610mm / Deep Emboss, Bevelled Edge /
Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex.VAT)



LIMESTONE

HOW CAN
SOMETHING
THAT LOOKS
THIS **GOOD**—
BE SO PRACTICAL?

LIMESTONE / QAF-LVT-03 / QAF-LVT-09 (LARGE SQUARE TILE)



All colours can be viewed on our website
www.qaflooringsolutions.com

LIMESTONE

COOL AND
CONTEMPORARY
FINISHED OFF
WITH A SPLASH
OF COLOUR!



WARM GREY STONE

All colours can be viewed on our website
www.qaflooringsolutions.com

WARM GREY STONE / QAF-LVT-12

SILVER SLATE



All colours can be viewed on our website
www.qaflooringsolutions.com



STYLISH AND
STUNNING -
IT MAKES A
STATEMENT

IN EVERY SETTING.

SILVER SLATE / QAF-LVT-13

Tile size available - 305mm x 610mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £29.99/m² (£24.99/m² ex. VAT)

BLACK SLATE



All colours can be viewed on our website
www.qaflooringsolutions.com

IT'S SO
EASY
TO MAKE
YOUR
FLOOR
UNIQUE-

WITH THE DESIGN
STRIPS TOO.
SEE PAGE 54.

BLACK SLATE / QAF-LVT-02 / QAF-LVT-08 (LARGE SQUARE TILE)

WHEN YOU
PUT IT NEXT
TO OUR
FURNITURE –
IT'S SIMPLY PERFECT!



All colours can be viewed on our website
www.qaflooringsolutions.com

POLISHED BLACK SLATE

POLISHED BLACK SLATE / QAF-LVT-04 / QAF-LVT-10 (RECTANGLE TILE)

Tile sizes available - 305mm x 305mm and 305mm x 610mm / Deep Emboss, Bevelled Edge /
Suitable for underfloor heating / RRP £29.99/m² (£24.99/m² ex. VAT)



Luvanto
Luxury Vinyl Flooring

SPARKLE BLACK



SPARKLE BLACK



SPARKLE GREY



GIVE YOUR
FLOOR SOME
GLITTER

WITH OUR
SPARKLE COLOURS!

SPARKLE WHITE



SPARKLE / QAF-LVT-16 (BLACK) / QAF-LVT-17 (GREY) / QAF-LVT-18 (WHITE)

Tile size available - 305mm x 305mm / Sparkle Surface, Bevelled Edge / Suitable for underfloor heating /
RRP £32.99/m² (£27.49/m² ex. VAT)

IT'S PERFECT...
SUBTLE SHADING
WITH A **STYLISH**
ABSTRACT FINISH.
I LOVE IT, DON'T YOU?



LINEAR WHITE



LINEAR DARK BLUE

LINEAR BROWN



LINEAR / QAF-LVT-19 (DARK BLUE) / QAF-LVT-20 (WHITE) / QAF-LVT-21 (BROWN)

LINEAR WHITE



All colours can be viewed on our website
www.qaflooringsolutions.com

Design Strips.

Solid styles.



White



Black



Silver



Neutral



Stone



Dust

Stone styles.



Chalk



Beige



Granite Sparkle



Granite Grey

Wood styles.



Natural Oak



Antique Oak



Walnut



Brown Wood

Design strips available in 3mm or 5mm width and 914mm length. Supplied in boxes of 50 lengths.
RRP £31.99 per box (£26.66 per box ex.VAT).

Laying patterns.


Luvanto planks and tiles can be laid in lots of different patterns... here are a few to get you thinking. And you can combine different Luvanto colours together in a pattern for a striking effect. Use the flooring to create exactly the atmosphere you want in the room. It's easy with Luvanto!

A SIMPLE
PATTERN
CAN ADD
SO MUCH
MORE
CHARACTER
TO YOUR
HOME

45° Plank

Can be laid formal, staggered or random.



Shown with Bleached Larch planks.



Straight Plank with Feature Strip


Feature strip between every 2 planks.

Shown with Country Oak planks and Dust design strips.




Straight Plank with Alternate Colours

Shown with Ebony and Winter Oak planks.




Herringbone with Full Length Planks

Shown with Walnut planks.




45° Plank with Double Plank Perimeter

Shown with Natural Oak planks.



Straight Plank with Feature Strip and Single Plank Perimeter


Shown with Black Ash planks and Silver design strips.






Square Tile Brick with Feature Strip

Shown with Beige Stone tiles and Granite Grey design strips.




45° Square Tile Chequerboard

Shown with Sparkle Black and Sparkle White tiles.




Rectangular Tile Herringbone with Feature Strip

Shown with Black Slate tiles and Granite Sparkle design strips.



Rectangular Tile with Feature Strip

Feature strip around every 2 tiles. Shown with Warm Grey Stone tiles and Silver design strips.



Before installation

- Check subfloor is clean, dry, and dust-free.
- Repair any imperfections such as cracks or lumps.
- Keep room temperature constant for 24 hours before fitting. Leave Luvanto flooring in the room for this period to acclimatise.
- Switch on underfloor heating for 7-14 days before installation and then switch off at least 3 hours before laying Luvanto flooring.
- Check backs of vinyl planks/tiles are dust-free. If not, wipe off with damp cloth and allow to dry.

During installation

- Remove excess adhesive from finished floor surface immediately.
- Roll floor with 68kg floor roller after laying.

After installation

- Don't switch underfloor heating on for at least 48 hours.
- Don't put any furniture or heavy items on the floor for at least 24 hours.
- Avoid dragging heavy or sharp items across the floor, as this can scratch the surface.
- Clean and maintain your Luvanto floor with the Floor Care Kit to maintain the warranty.

Subfloor requirements in detail

- The subfloor must be free of contaminants (such as old adhesive, etc.).
- We recommend that the subfloor is screeded for a smooth and level surface to lay the Luvanto flooring onto. Alternatively, our Livello underlay can be installed to take out small imperfections in the subfloor (see page 59).
- Relative humidity of the subfloor must be below 70% - the lower the better. New screeds need enough time to dry before the Luvanto floor can be laid
- Luvanto flooring must not be laid directly onto chipboard or other substrates that are prone to moving and flexing. We recommend using our Livello underlay if you need to install Luvanto onto any subfloor which is prone to movement.

Livello Underlay

Livello is the complete installation system for Luvanto flooring. It is an acoustic underlay made from recycled rubber crumb. When installed under Luvanto flooring, the whole installation is covered by the Luvanto Warranty.

Faster to fit.

Livello can be laid over most existing hard floor coverings and will eliminate small imperfections in the subfloor, so screed is not usually required. It has a very strong self-adhesive top layer, which means wet adhesive is not required. So using Livello can reduce installation time by up to 50%.

Underfoot cushioning.

Livello provides cushioning which reduces impact shock and makes the floor more comfortable to walk on.

High sound reduction.

Livello has a very high 23dB impact sound reduction rating, which helps to make the room quieter.

When the installation is complete, the floor can be walked on immediately – no waiting for screed or adhesive to dry – so the project can be completed quickly.

See [Page 133](#) for more product details.




Accessories & Maintenance



Pressure Sensitive Adhesive

Use this adhesive in rooms where temperature and humidity won't change a lot.

5L / QAF-LVA-P1
15L / QAF-LVA-P2



Small Steel Roller

For working close to walls and in awkward areas which can't be reached with a large roller.

QAA-TOI-SR



High Temperature Adhesive

Use this adhesive in rooms where temperatures will change a lot, such as conservatories.


5L / QAF-LVA-H1



Lightweight Roller

Ideal for use when installing Luvanto flooring with Livello underlay.

QAA-TOI-LR



Notched Trowel

A1 NOTCH / QAA-TOI-A1
A2 NOTCH / QAA-TOI-A2



Floor Care Kit

Includes: Mop head with 2 cleaning pads, 750ml of initial cleaning solution, 750ml of general polishing solution, 750ml of Clean & Strip solution for periodic maintenance.


QAF-LVA-FC



Vinyl Tile Cutter 24"

Gives precise cuts on rubber and vinyl tiles. Much quicker than using a knife and gives a perfectly straight and square edge every time. Replacement blades available.

QAA-TOI-VC



Floor Roller 68kg

QAA-TOI-HR



Caring for your Luvanto floor

Luvanto flooring must be maintained using the Floor Care Kit in order to maintain the warranty. The Floor Care Kit includes:

- Mop head with 2 cleaning pads
- 750ml of initial cleaning solution
- 750ml of general polishing solution
- 750ml of Clean & Strip solution


Instructions for usage included in the box.

No other cleaning solution may be used, apart from warm soapy water.

Electric steam mops may not be used.

Other care tips:

- Avoid dragging heavy or sharp items across the floor, as this can scratch the surface.
- Use floor protection if moving castor wheel furniture over the floor, otherwise plank edges may get damaged.
- Avoid heavy point loads over floor joints, as this can cause damage to them over time.
- A vacuum cleaner with a suitable head for hard floors should be used regularly to remove dust and grit.



Technical Data

**25 Years
Domestic
Warranty**

**7 Years
Commercial
Warranty**

**Heavy
Domestic
Use**

**Commercial
Use**

**0.5mm
Wear
Layer**

**Flame
Resistant**

**OK for
Underfloor
Heating**

**100%
Waterproof**

**Slip
Resistant
(R10)**

**Pendulum
Test 36+
Wet**

Characteristics	Test Method	Result
Level of use	EN685	23, 32
Total thickness	EN428	2.5mm
Wear layer	EN429	0.5mm
Total weight	EN430	4400g/m ²
Dimensions (planks)	EN427	152mm x 914mm 184mm x 1219mm
Dimensions (tiles)	EN427	305mm x 305mm 305mm x 610mm 457mm x 457mm
Squareness and straightness	EN427	≤0.12mm / ≤0.15mm
Surface treatment		PU
Warranty		25 Years Domestic 7 Years Commercial
Flammability	EN13501 - 1:2007	Bfl - S1
Smoke density	DIN4102	Class B1
Abrasion resistance	EN660 - 2	Wear Group P
Slip resistance	DIN51130	R10
Pendulum test	B57976 - 2:2002	Dry 62 (low) Wet 50 (Low)
Stain resistance	EN423	Pass
Residual indentation	EN433	≤0.1mm
Castor chair resistance	EN425	Pass
Colour fastness to light	ISO 105 B02	≥6
Curling	EN434	≤2mm
Shrinkage	EN434	≤0.25%
Flexibility	EN435	20mm mandrel, no signs of cracking
Sound reduction	DIN52210	4dB
Underfloor heating		Suitable, max. 27°C

Produced to the following standards: ISO 9001; ISO 14001; CE.

Specification Information

Luvanto Flooring should be specified in Section M50 of a Specification using clause M50/110.

Complete this clause as follows:

Blue text: Insert as shown.

Red text: Follow the instructions below.

110 VINYL TILING:

- Location: [Insert as per guidance].
- Base: [Insert as per guidance].
 - Preparation: [Insert as per guidance].
- Fabricated underlay: [Insert as per guidance].
- Tiles: [Homogeneous PVC to BS EN 649].
 - Manufacturer: [QA Flooring Solutions Ltd].
Website/Contact information: [<http://www.qaflooringsolutions.com/>]
Product reference: [Luvanto Flooring].
 - BS EN ISO 10874 class: [23, 32].
 - Slip potential: Slip resistance value to DIN 51130: [R10].
 - Recycled content: [Not applicable].
 - Size: [Insert size from QA website product page].
 - Thickness: [2.5mm].
 - Colour/ pattern: [Insert colour from QA website Product page].
- Adhesive (and primer if recommended by manufacturer): [As clause 640].
- Accessories: [Insert as per guidance].
- Finishing: [Insert as per guidance].
- Other requirements: [Insert as per guidance].



Luvanto Click

Luxury Vinyl Flooring



Speed... Style... Simplicity... It has to be Luvanto Click.

Life isn't always perfect. But your Luvanto floor will be – whether your home's a playground for small children or a sanctuary for you.

That's because this nature – inspired range of luxury vinyl flooring is designed for durability, easy to look after and beautifully affordable.

Its timeless style comes from the stunningly realistic textures and colours so accurate, it's hard to tell the difference – except for that warm, luxurious feeling under your feet. So whether you prefer rustic chic or smooth elegance, you'll find a Luvanto that's simply perfect for your life.

Fit it fast!

Luvanto Click has a sturdy joint locking system which makes it very fast and easy to fit.

No glue, no mess – simply lock the planks together and enjoy your new floor!



You can check out our handy installation video on our website too!





Luvanto Click
Luxury Vinyl Flooring



WHITE OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

WHITE OAK / QAF-LCP-01

SUBTLE SHADING
WITH A
RUSTIC FINISH...

IT JUST SAYS 'HOME'.



WASHED GREY OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

WASHED GREY OAK / QAF-LCP-02

Plank size available - 180mm x 1220mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)




Luvanto Click
Luxury Vinyl Flooring

VINTAGE GREY OAK

VINTAGE
ELEGANCE...

PERFECTLY ON TREND!



All colours can be viewed on our website
www.qaflooringsolutions.com

VINTAGE GREY OAK / QAF-LCP-03


68

Plank size available - 180mm x 1220mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)



Luvanto Click

Luxury Vinyl Flooring



EBONY



All colours can be viewed on our website
www.qaflooringsolutions.com

EBONY / QAF-LCP-04

Plank size available - 180mm x 1220mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)



Luvanto Click
Luxury Vinyl Flooring



COUNTRY OAK

All colours can be viewed on our website
www.qaflooringsolutions.com

COUNTRY OAK / QAF-LCP-05

70

Plank size available – 180mm x 1220mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)



Luvanto Click
Luxury Vinyl Flooring



HARVEST OAK



All colours can be viewed on our website
www.qaflooringsolutions.com

HARVEST OAK / QAF-LCP-06

Plank size available – 180mm x 1220mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)



Luvanto Click
Luxury Vinyl Flooring

BEIGE STONE



All colours can be viewed on our website
www.qaflooringsolutions.com


BEIGE STONE / QAF-LCT-01

72

Tile size available - 300mm x 600mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)



Luvanto Click
Luxury Vinyl Flooring



BLACK SLATE



All colours can be viewed on our website
www.qaflooringsolutions.com

BLACK SLATE / QAF-LCT-02

Tile size available - 300mm x 600mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)

GREY SLATE



All colours can be viewed on our website
www.qaflooringsolutions.com



**IT'S SO
NATURAL,**
YOU'D
NEVER
KNOW IT'S
NOT REAL
STONE!


GREY SLATE / QAF-LCT-03

Tile size available - 300mm x 600mm / Deep Emboss, Bevelled Edge / Suitable for underfloor heating /
RRP £34.79/m² (£28.99/m² ex. VAT)

Finishing Strips

A self-adhesive aluminium strip which conceals the expansion gap between the flooring and the skirting board for a neat, professional finish.

Code	Length	Qty per carton	Colour	RRP
QAA-FSP-WH	2.7m	10	White	£17.99/length
QAA-FSP-01	2.7m	10	White Oak	£17.99/length
QAA-FSP-02	2.7m	10	Washed Grey Oak	£17.99/length
QAA-FSP-03	2.7m	10	Vintage Grey Oak	£17.99/length
QAA-FSP-04	2.7m	10	Ebony	£17.99/length
QAA-FSP-05	2.7m	10	Country Oak	£17.99/length
QAA-FSP-06	2.7m	10	Harvest Oak	£17.99/length
QAA-FST-01	2.7m	10	Beige Stone	£17.99/length
QAA-FST-02	2.7m	10	Black Slate	£17.99/length



SoundClick Underlay



Lightweight underlay for click vinyl flooring, with anti-slip top surface.

No slip-ups with the floor

SoundClick has an anti-slip top surface, which holds the flooring firmly in place. It makes it so much easier to fit, without the pieces sliding around. And when the floor is down, you can guarantee it won't be going anywhere – even if it takes the full force of family use!

Quietly does it...

The dense, closed cell polyolefin foam of SoundClick gives it 18dB sound reduction – so it deadens any loud noise and makes the whole room quieter.

That warm feeling

SoundClick has an ultra low tog value of just 0.27, which means your underfloor heating system works much more efficiently, keeping your floor lovely and warm!

The crosslinked, closed cell structure of the foam resists compression, making sure your floor's supported for life, however heavy the load is.

SoundClick is very lightweight, making it easy and safe to lift and handle. It's also a dream to cut, so takes time and effort out of installation.

See [Page 127](#) for more product details.

Technical Data

**20 Years
Domestic
Warranty**

**10 Years
Commercial
Warranty**

**Heavy
Domestic
Use**

**Commercial
Use**

**Heavy Duty
0.5mm
Wear Layer**

**100%
Water
Resistant**

**Slip
Resistant
(R10)**

**Pendulum
Test 36+
Wet**

Characteristics	Test Method	Result
Level of use	EN685	23, 32
Total thickness	EN428	4mm
Wear layer	EN429	0.5mm
Total weight	EN430	8420g/m ²
Dimensions (planks)	EN427	180mm x 1220mm
Dimensions (tiles)	EN427	300mm x 600mm
Squareness and straightness	EN427	≤0.07mm / ≤0.10mm
Surface treatment		PU
Warranty		20 Years Domestic 10 Years Commercial
Flammability	EN13501-1:2007+ A1:2009	Bfl - S1
Abrasion resistance	EN660 - 2	Wear Group P
Slip resistance	DIN51130	R10
Pendulum test	B57976-2:2002	Dry 62 (low) Wet 50 (Low)
Stain resistance	EN423	Pass
Residual indentation	EN433	0.02mm
Castor chair resistance	EN425	Pass
Colour fastness to light	ISO 105 B02	≥6
Peel resistance	EN431	Upper layer 70N/50mm, X and Y directions
Shear force	EN432	X direction: 7574N Y direction: 6777N
Curling	EN434	0.08mm
Shrinkage	EN434	≤0.25%
Flexibility	EN435	Pass
Sound reduction	DIN52210	4dB
Underfloor heating		Suitable, max. 27°C



Simply Better

Underlay

At the heart of any complete flooring solution is the underlay. We should know – we sell millions of square metres every year! Here you'll find all you need to know about our underlay options for carpet, wood or laminate and other flooring types.



QA

Underlay

**SIMPLY
BETTER
IN SO
MANY
WAYS.**

**IT'S EASY TO THINK
ALL UNDERLAY'S
THE SAME. AFTER ALL,
IT SPENDS MOST
OF ITS LIFE HIDDEN
AWAY.**



But you'd be surprised how much difference choosing the right underlay can make to any room.

Mainly it's about comfort...making flooring softer under your feet, helping underfloor heating keep you warmer or stopping the noise from your teenager's bedroom disturbing your peace. Underlay can do all that...but it can also be about keeping flooring looking good for longer as with our super hardwearing options. In fact, we offer complete flexibility with over 50 products: from busy hallways to rarely-used bedrooms, from keeping the floor in shape to levelling uneven subfloors, offering value for money to the ultimate luxury. So whatever you need, we have the perfect solution.

QA

Underlay

HOW DO YOU CHOOSE THE RIGHT ONE FROM ALL THESE OPTIONS?

We've made that simply better, too. Our Traffilay system - explained on the following pages - will help to make sure you have the most suitable product every time. And that your - or your customer's - home gets the underlay it deserves.



See Traffilay in action on www.qaflooringsolutions.com



Simply Better

TRAFFILAY

A simply better way to find your perfect underlay.




Medium


Every room's different. Not just in size and shape, but in how it's used, how it's lived in. Matching the right underlay to the right room- whether it's to take a pounding in a busy hallway, or reduce a teenager's music to a whisper - is crucial. Because it not only saves you a lot of money by helping your carpets and wood flooring look great for longer, it improves the quality of your home life too.

At QA we understand just how much difference underlay makes. So to help choose the right one, we came up with a simply better solution: **Traffilay**.

Based around each room's 'traffic', this ground-breaking system is really easy to use.



Light



Heavy

How Traffilay works

Having decided on your floor covering (wood, carpet and so on), think about the way your room's used – for example, bedrooms are typically light traffic, a living room medium and hall or kitchen heavy.

Then choose the benefits you want most – like cushioning, durability or insulation.

Finally, from your shortlist of suitable underlays, decide which is closest to what you need. We've rated all our products for relative performance so you can rank them as good, better and best.

Using the online version

On our website **www.qaflooringsolutions.com**, simply click through each stage and we'll work out the three most suitable options (good, better and best) for you to choose from, based on your priorities and budget.



STEP 1

Choose the traffic level.

LIGHT – e.g. Bedrooms

MEDIUM – e.g. Living Rooms

HEAVY – e.g. Halls, Stairs, Landings

Choose flooring type.



STEP 2

Choose the benefits you want.




STEP 3

Choose the most suitable product from the good, better or best recommendation.

In the brochure

Our products are arranged by type of floor covering, so simply look for that and the traffic level in the top corner of every page. The main benefits will be highlighted in the nine-square panel.

Use these to draw up your initial shortlist, and our performance rating (next to the traffic level in the top corner) to make your final decision.



Whichever way you use it, Traffilay will help you to find the best underlay for the job.



Simply Better

Wood Underlays

Traffilay Group

Light Traffic

Product Suitable for Wood	Ranking Score*	Cushioning	Level Floors	Hardwearing	Moisture Protection	Compression Recovery	Heat Insulation	Sound Reduction	Underfloor Heating	Commercial Use
UniBase Bronze	1	■						□	□	
UniBase Silver	2	■			■		□			
UniBase Gold	3	■			■		□			

Medium Traffic

Barrier	4	■			■					
Barrier Plus	5	■			■					
Barrier MultiFold	4	■			■					
FineFloor FibreBoard	5		■				■	□		
FineFloor FibreFlex	6		■					■		
FineFloor TechniBoard	5		■				■	□		
ProTech	6	□			■		□	□		
QuickTherm	6			■					■	
QuickTherm Vapour	6				■				■	

Heavy Traffic

WorkPro Life	7			■		■		■		
WorkPro Slot	7					■			■	
WorkPro Tack	8					■		■		
WorkPro Tack Plus	9				■	■		□		
TimberTech2 Bronze	8			■		■		■		
TimberTech2 Silver	9			■	■	■		■	■	
TimberTech2 Silver Plus	10			■	■	■		■	■	
TimberTech2 Gold	11	■			■			■	■	■
TimberTech2 Acoustic Plus	12	■	■		■			■		■

Key:

- Denotes main benefits
- Denotes secondary benefits

*This is how we have rated our products on overall performance for quick comparison.


Light
Traffic

Ranking
1

Wood



Best for



* Suitable for hotels and public buildings



UniBase Bronze Underlay

100% recyclable
PE foam wood
underlay offering
terrific value.

Available in

Code	QAU-UBB-01
Size	1m x 10m (10m ²)
Thickness	2mm
RRP (ex.VAT)	£0.99/m ²

Code	QAU-UBB-02
Size	1m x 15m (15m ²)
Thickness	2mm
RRP (ex.VAT)	£0.99/m ²

Code	QAU-UBB-03
Size	1m x 15m (15m ²)
Thickness	3mm
RRP (ex.VAT)	£1.35/m ²

Code	QAU-UBB-04
Size	1m x 25m (25m ²)
Thickness	2mm
RRP (ex.VAT)	£0.99/m ²

Code	QAU-UBB-05
Size	1m x 120m (120m ²)
Thickness	2mm
RRP (ex.VAT)	£0.99/m ²

■ Longer-lasting flooring

UniBase Bronze gives your floor covering the perfect level of support to protect it from excess wear and even high impact damage – all of which helps your floor look good for longer!

■ Lightening the load

The ultra lightweight polyethylene foam material makes UniBase Bronze so easy to lift and manoeuvre... you won't believe just how much time and effort that can save you on every installation.

■ Faster fitting

There's no wasting time with UniBase Bronze – it's not only lightweight to lift and move around, but really easy to cut and install so you can get on with the job.

100% recyclable closed cell polyethylene foam means that when you use UniBase Bronze, you're being kinder to the environment in the long run.

UniBase Bronze gives you less clearing up to do afterwards, as it's dust free and so cleaner and easier to install.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



UniBase Silver Underlay

Great value
100% recyclable PE foam wood underlay **with moisture protection.**

■ Flooring lasts longer

With the perfect level of support, UniBase Silver protects your floor from excess wear and high impact damage – for a great looking floor for years to come!

■ Easy to fit

The lightweight material makes it a breeze to lift, move around and cut...all of which saves time and effort during installation.

■ Protects against damp

Don't worry about moisture rising up from the sub-floor – the metallised silver vapour barrier protects your floor covering and keeps your room dry as a bone.



The closed cell polyethylene foam is 100% recyclable, and so kinder to the environment in the long run.

Being dust free it's cleaner and easier to install, with less clearing up needed afterwards.

Available in

Code	QAU-UBS-01
Size	1m x 10m (10m ²)
Thickness	2mm
RRP (ex.VAT)	£1.90/m ²

Code	QAU-UBS-02
Size	1m x 15m (15m ²)
Thickness	2mm
RRP (ex.VAT)	£1.90/m ²

Code	QAU-UBS-03
Size	1m x 15m (15m ²)
Thickness	2.5mm
RRP (ex.VAT)	£1.99/m ²

Light Traffic

Ranking 2

Wood

Best for



* Suitable for hotels and public buildings



UniBase Gold Underlay

Recyclable PE foam underlay **with moisture protection and joint sealing.**

■ Lifelong supporter

The closed cell polyethylene foam fully supports your floor, helping to protect it and keeping it in good shape for a longer life.

■ Lightening the load

The lightweight material's not only a breeze to lift and move around, but also quick and easy to cut and install – saving time and effort during installation.

■ Protects against damp

Its metallised gold vapour barrier plus overlap and self adhesive strip means UniBase Gold protects your floor against moisture from the subfloor.



Being 100% recyclable, this underlay's kinder to the environment in the long run.

It's cleaner and easier to install too, with no dust meaning less clearing up afterwards.

Available in

Code	QAU-UBG-01
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£2.50/m ²

Code	QAU-UBG-02
Size	1m x 15m (15m ²)
Thickness	3mm
RRP (ex.VAT)	£2.50/m ²

Light Traffic

Ranking 3

Wood

Best for



* Suitable for hotels and public buildings

Simply Better

Medium
Traffic

Ranking
4

Wood

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-BAR-01
Size	1m x 15m (15m ²)
Thickness	3mm
RRP (ex.VAT)	£2.50/m ²

QA Barrier Underlay

Lightweight PE foam wood underlay with vapour barrier.



- **Protects against damp**
With a clear printed vapour barrier on one side, Barrier effectively and economically stops moisture rising from the subfloor to keep your floor dry.
- **Support against impact shock**
Barrier gives your floor covering the perfect level of support, guarding against excess wear and even high impact damage. It feels good under your feet, too!

- **Light fantastic**
While it's no lightweight in performance, Barrier's certainly easier and safer to lift and handle compared with many underlays – thanks to its ultra-lightweight PE foam.

With its built-in moisture barrier, this underlay has excellent resistance to fungi, mould and bacteria.

Being dust-free, Barrier's cleaner and easier to install, with less clearing up needed afterwards.

With 100% recyclable polyethylene foam, this eco-friendly underlay looks after the environment in more ways than one.

See page 156 for Barrier Jointing Tape which will provide extra joint seal protection.

Medium
Traffic

Ranking
5

Wood

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-BAR-02
Size	1m x 15m (15m ²)
Thickness	3mm
RRP (ex.VAT)	£2.99/m ²

QA Barrier Plus Underlay

Lightweight PE foam wood underlay with extra moisture protection.




- **Dry as a bone**
Barrier Plus has a vapour barrier on both sides and a double overlap, so you're even better protected against rising moisture to keep your floor bone dry.
- **Impact protection**
Barrier Plus not only feels good under your feet, but protects your floor against excess wear and even high impact damage.
- **Lightening the load**
The lightweight material makes it a breeze to lift and move around... saving time and effort during installation.

The advanced moisture barrier gives this underlay even better resistance to fungi, mould and bacteria.

Dust-free installation means Barrier Plus is cleaner and easier to work with... and there's less clearing up afterwards.

The 100% recyclable polyethylene foam makes this underlay very eco-friendly and kinder to the environment.



Double lamination water barrier overlapping at end of each roll.



Barrier MultiFold Underlay

PE foam underlay with vapour protection, **designed for easy fitting.**

■ **Folded for faster fitting**

Barrier MultiFold gives you all the benefits of a moisture - resistant foam underlay, but in a neat, multifold format that gives you the ultimate flexibility and makes installation so much quicker and easier.

■ **Keeps moisture out**

Don't worry about moisture rising up from the sub-floor - the clear vapour barrier on one side will protect your floor covering and keep your room dry as a bone.

■ **Light and easy does it**

The unique Barrier MultiFold's not only quick to install, but the polyethylene foam material is also light and easy to carry - saving you even more time during fitting!

Barrier MultiFold's smart box not only gives it more impact and persuades customers to buy, but also makes the underlay easier to handle and store.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



Medium Traffic

Ranking 4

Wood



Best for


Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-BAR-03
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£2.50/m ²

ON THE LEVEL



**QA's FineFloor range,
for a smoother result.**



FineFloor FibreBoard Underlay

Insulating panels of natural wood fibre, designed to **eliminate uneven floors.**

Available in

Code	QAU-FFF-01
Panel size	590mm x 850mm
Pack size	25 panels (12.53m ²)/pack
Pallet size	20 packs (250m ²)/pallet
Thickness	4mm

RRP (ex.VAT) **£1.90/m²**

Code	QAU-FFF-02
Panel size	590mm x 850mm
Pack size	20 panels (10.03m ²)/pack
Pallet size	20 packs (200.6m ²)/pallet
Thickness	5.5mm

RRP (ex.VAT) **£1.99/m²**

Code	QAU-FFF-03
Panel size	590mm x 850mm
Pack size	14 panels (7.02m ²)/pack
Pallet size	28 packs (196.56m ²)/pallet
Thickness	5.5mm

RRP (ex.VAT) **£1.99/m²**

Code	QAU-FFF-04
Panel size	590mm x 856mm
Pack size	19 panels (9.6m ²)/pack
Pallet size	18 packs (172.8m ²)/pallet
Thickness	7mm

RRP (ex.VAT) **£2.60/m²**

■ On the level

As well as insulation, FibreBoard provides a level subfloor for the final floor covering, offering stable support and helping your floor last longer by smoothing out the most uneven areas.

■ Keep out the cold

The exceptional thermal insulation of FibreBoard is perfect for use on very cold subfloors such as cellars, to make your room feel so much cosier and comfortable.

■ Easy to fit

Made from traditional natural wood fibre, you'll find FibreBoard really easy to line up, cut and fit – saving you a great deal of time and effort wherever you're installing it.

The wood material in FibreBoard is extremely eco-friendly, being completely natural and 100% recyclable – so it's better for the planet.

The wood fibre also has high impact sound reduction – so it deadens any loud noise and makes the whole room quieter.


FibreBoard stays cool under pressure too – it resists compression, so provides solid and stable support even under the heaviest weight.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.


Medium Traffic

Ranking 5

Wood



Best for



* Suitable for hotels and public buildings

Simply Better

Medium
Traffic

Ranking
6

Wood



FineFloor FibreFlex Underlay

Flexible natural wood fibre, designed to **eliminate uneven subfloors** and make fitting easier.

■ On the level

FibreFlex helps to smooth out the most uneven areas of the subfloor to create a level base for the final floor covering, so offers support and protects your floor against excess wear and impact damage.

■ Faster to fit

Made from flexible wood fibre, FibreFlex is really easy to roll out, cut and fit – saving you a lot of time and effort when installing it. And it won't break when you're transporting it (unlike rigid wood fibre panels which can easily snap).

■ Quiet please...

FibreFlex has excellent sound reduction of 20dB, absorbing impact sound and in-room noise, to really cut down the noise levels in the room.

FibreFlex is very eco-friendly, as the wood fibre material is responsibly sourced and 100% recyclable.

The durable fibre structure makes FibreFlex very hardwearing, so it keeps your floor looking good for much longer.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Best for



* Suitable for hotels and public buildings

Available in

Code QAU-FFL-01

Size 1.1m x 10m (11m²)

Thickness 5mm

RRP (ex.VAT) £2.27/m²



FineFloor TechniBoard

Underlay

Lightweight XPS panels to **eliminate uneven subfloors** and improve insulation.

■ On the level

As well as insulation, TechniBoard is designed to provide a level subfloor for the floor covering, smoothing out the most uneven areas to offer stable support and help your floor last longer.

■ Keep out the cold

With exceptional thermal insulation - 2.15 TOG - TechniBoard is perfect for use on ultra cold subfloors. So in a basement for example, it'll make your room feel so much cosier and usable.

■ Easy to fit

Made from modern polystyrene material, TechniBoard is really easy to line up, cut and fit - saving you a great deal of time and effort wherever you're installing it.

TechniBoard's ultra lightweight polystyrene makes it really easy to lift and move around, helping you get the job done quickly.

The polystyrene also has high impact sound reduction - so it deadens any loud noise and makes the whole room quieter.

Being dust and fibre free means TechniBoard is cleaner to install, and helps prevent allergy problems.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.


Medium Traffic

Ranking 5

Wood



Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-FFT-01
Panel size	1200mm x 500mm
Pack size	10 panels (6m ²)/pack
Box size	9 packs (54m ²)/box
Pallet size	90 packs (10 boxes) (540m ²)/pallet
Thickness	5mm
RRP (ex.VAT)	£1.99/m ²

Simply Better

MOISTURE MINIMISED



**ProTech from QA,
designed to resist damp.**



Dense PE foam featuring **ultimate damp protection.**

■ **Ultimate protection against moisture**

Don't worry about moisture rising up from the sub-floor – ProTech is laminated with a full 1000 gauge damp-proof membrane, plus a joint sealing system to keep your room dry as a bone.

■ **Shhh! Underlay at work**

ProTech also offers good impact sound insulation...so as well as not having to worry about damp, you'll notice it makes a real difference to noise levels.

■ **Lightening the load**

The lightweight polyethylene material means ProTech's not only a breeze to lift and move around, but also quick and easy to cut and install – saving time and effort during installation.

Thanks to good thermal insulation this is an underlay that not only keeps your room moisture-free, but also helps it feel warmer.

Being dust free means it's cleaner and easier to install, with less clearing up needed afterwards.

The closed cell polyethylene foam that ProTech is made from is 100% recyclable, and so kinder to the environment in the long run.

Try out our [Traffilay](#) system online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.

Simply Better

Medium
Traffic

Ranking
6

Wood



Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-PRT-01
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£3.50/m ²

THE HEAT IS
ON



**QA QuickTherm makes the
most of underfloor heating.**



QuickTherm Underlay

Perforated PE foam underlay specially designed for underfloor heating.



■ The underfloor heating underlay

QuickTherm's unique perforated design and ultra low tog value of just 0.35 means your underfloor heating system works more efficiently to keep you toasty!

■ Lifelong supporter

The very dense closed cell polyethylene material can take heavy loads long-term, fully supporting your floor to protect it and keep it in good shape for a longer life.

■ Light fantastic

It may be no lightweight in performance, but QuickTherm's certainly easy and safe to lift and handle thanks to its ultra-lightweight foam.

Being dust free means QuickTherm is cleaner and easier to install, with less clearing up needed afterwards.

The PE foam is very eco-friendly, being 100% recyclable - so in the long run it's better for the planet as well as your home!

Medium Traffic

Ranking 6

Wood

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-QTH-01
Size	1m x 10m (10m ²)
Thickness	1.8mm
RRP (ex.VAT)	£4.99/m ²



QuickTherm Vapour Underlay

PE foam underlay for underfloor heating, with added moisture protection.



■ The heat is on

QuickTherm Vapour features our unique perforated design and ultra low tog value of just 0.303, so it helps your underfloor heating system work at its best to keep you lovely and warm!

■ Dry as a bone

It also has a built-in vapour barrier with overlap to stop moisture rising up from the sub-floor - protecting your floor covering and keeping your room damp-free.

■ Lightweight champion

The lightweight closed cell polyethylene material makes it a breeze to lift and move around... saving time and effort during installation.

Dust-free installation means QuickTherm Vapour's clean and easy to work with...and there's less clearing up afterwards.

100% recyclable PE foam makes this underlay particularly eco-friendly and kinder to the environment.

Medium Traffic

Ranking 6

Wood

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-QTH-02
Size	1m x 10m (10m ²)
Thickness	2mm
RRP (ex.VAT)	£5.99/m ²

Simply Better

Heavy
Traffic

Ranking
7

Wood

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings



WorkPro Life Underlay

Hardwearing physically crosslinked, closed cell polyolefin foam underlay.



■ Stays in shape

The compression-resisting foam of WorkPro Life always makes sure your floor's fully supported, however heavy the load.

■ Shhh! Underlay at work

WorkPro Life's dense material gives it brilliant impact sound insulation...so you'll notice a real difference in noise levels.

■ Longer-lasting performance

The structure of the crosslinked, closed cell polyolefin foam is designed for durability - so WorkPro Life just goes on and on and on...

The foam material is really light and easy to carry, making installation so much easier.

Thanks to good thermal insulation this is an underlay that helps your room feel warmer.

There's less cleaning up after installation too, as WorkPro Life is a dust-free underlay.

Available in

Code	QAU-WPL-01
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£2.99/m ²

Code	QAU-WPL-02
Size	1m x 100m (100m ²)
Thickness	3mm
RRP (ex.VAT)	£2.99/m ²

Heavy
Traffic

Ranking
7

Wood

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings



WorkPro Slot Underlay

Closed cell polyolefin foam underlay designed for **maximum bonding**.



■ Bond...max bond

The unique pre-cut perpendicular slots let you put beads of high strength elastic adhesive directly onto the subfloor, for the perfect bond with the floor covering.

■ Keep in shape

WorkPro Slot recovers quickly from compression - in other words, it always makes sure your floor's fully supported under even the heaviest load.

■ That warm feeling

By allowing a bond between the floor and subfloor, WorkPro Slot is ideal for laying over underfloor heating systems built into the subfloor.

The foam material's light and easy to move around, helping to save time on installation.

Available in

Code	QAU-WPS-01
Size	1m x 16.5m (16.5m ²)
Thickness	3mm
RRP (ex.VAT)	£4.25/m ²

Code	QAU-WPS-02
Size	1m x 100m (100m ²)
Thickness	3mm
RRP (ex.VAT)	£4.25/m ²



WorkPro Tack Underlay

Hardwearing cross-linked polyolefin foam with **adhesive coating for faster fitting.**

■ **Fit it fast!**

Covered by a peelable protective film, the strong adhesive on one side of WorkPro Tack means fitting's much easier than traditional nailing and gluing - so it's installed in double-quick time!

■ **Stays in shape longer**

With all the compression-resisting benefits of physically crosslinked polyolefin foam, WorkPro Tack is not only extremely durable but always makes sure your floor's fully supported, however heavy the load.

■ **Quiet please...**

WorkPro Tack also has excellent sound reduction of 20dB - you'd be amazed what a difference that can make with wooden and laminate floors, keeping noise levels more comfortable in any room.

WorkPro Tack is not only quick to install, it's light and easy to manoeuvre - saving you even more time!

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



Heavy Traffic

Ranking 8

Wood



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-WPT-01
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£4.75/m ²

Heavy
Traffic

Ranking
9

Wood



QA WorkPro Tack Plus Underlay

**Fast fitting
and moisture
protection** in
one crosslinked
polyolefin
foam underlay.

■ Express fit!

The strong adhesive on one side of WorkPro Tack Plus makes fitting so much easier than traditional nailing and gluing - not to mention more economical.

■ Moisture mastered!

With a strong 500 gauge vapour barrier and joint sealing system to stop damp rising from the subfloor, there's no need for a separate membrane - and no damp in your room!


■ In good shape...always

The physically crosslinked polyolefin foam has a structure that resists compression - so however heavy a load is on it, it always springs back into shape to keep your floor looking good.

The lightweight foam material's also light and easy to carry - saving even more time during fitting!

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-WPT-02
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£6.50/m ²



TimberTech2 Bronze Underlay

High density fleece-backed natural rubber, **ideal for reducing noise.**

■ Keeps flooring in its place

The high density, fleece-backed natural rubber is extremely stable and prevents movement in your flooring, greatly reducing wear and tear!

■ Quiet please...

TimberTech2 Bronze has excellent sound reduction, absorbing both impact and in-room noise to make a big difference to how comfortable a room feels.

■ Lifelong supporter

The dense material fully supports your floor, helping to protect it and keep it in good shape for a longer life.




Heavy Traffic

Ranking 8

Wood

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-TTB-01
Size	1m x 10m (10m ²)
Thickness	2mm
RRP (ex.VAT)	£2.99/m ²



TimberTech2 Silver Underlay

High density natural rubber, with **fleece backing and vapour barrier.**

■ Underfloor heating underlay

TimberTech2 Silver's low tog value makes it ideal if you have underfloor heating, letting it heat your room more efficiently and keep you warm as toast!

■ Shhh! Underlay at work

TimberTech2 Silver is excellent at absorbing both impact and in-room noise, to really cut down noise levels in any room.

■ Protects against damp

Don't worry about moisture rising up from the sub-floor - the silver vapour barrier film protects your floor covering and keeps your floor dry.

With exceptional resistance to compression, TimberTech2 Silver provides solid and stable support even under the heaviest weight.

The high tensile strength of TimberTech2 Silver gives it superior performance in any installation.

Being dust free means it's cleaner and easier to install, with less clearing up afterwards.



Heavy Traffic

Ranking 9

Wood

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-TTS-01
Size	1m x 10m (10m ²)
Thickness	2mm
RRP (ex.VAT)	£3.50/m ²

Simply Better

Heavy
Traffic

Ranking
10

Wood



TimberTech2 Silver Plus Underlay

**Top quality
acoustic
underlay with
3mm thick
natural rubber.**

■ Shhh! Underlay at work

This is an underlay with real acoustic performance thanks to its thick materials, cutting down noise levels to make any room more comfortable.

■ Dry as a bone

Don't worry about moisture rising up from the sub-floor – the silver vapour barrier film protects your floor covering against damp.

■ The heat is on

With a tog value of just 0.37, this is an ideal choice for use with underfloor heating systems, helping it to heat your room more easily and keep you warm as toast!

The high density, fleece-backed natural rubber is extremely stable and prevents movement in your flooring, reducing wear and tear.

With exceptional resistance to compression, you have the advantage of solid and stable support even under the heaviest weight.

Being dust free means it's cleaner and easier to install, with less clearing up afterwards.

See page 155 for Vapour Tape which will provide extra joint seal protection against moisture.

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-TTS-02
Size	1m x 10m (10m ²)
Thickness	3mm
RRP (ex.VAT)	£3.99/m ²



TimberTech2 Gold

Underlay

Premium ultra thick natural rubber underlay **with vapour barrier.**

■ **Stability you can rely on**

TimberTech2 Gold's heavy mass stability is exceptional, preventing movement in your flooring to keep it looking good longer.

■ **Quiet please...**

With its ultra-thick laminated materials TimberTech Gold has outstanding acoustic performance to make any room more comfortable.

■ **Protects against damp**

Gold vapour barrier gives superior protection against moisture rising up from the sub-floor – so your room stays dry.

TimberTech2 Gold stays extra cool under pressure, with added resistance to compression for solid and stable support even under the heaviest weight.

Being dust free it's cleaner and easier to install, with less clearing up afterwards.

TimberTech2 Gold's high tensile strength gives it superior performance in any installation.

Heavy Traffic

Ranking 11

Wood



Best for


Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-TTG-01
Size	1m x 10m (10m ²)
Thickness	3.3mm
RRP (ex.VAT)	£4.50/m ²

QUIET PLEASE



**Turn down the volume
with TimberTech2
Acoustic Plus from QA.**



TimberTech2 Acoustic Plus Underlay

Heavyweight natural rubber underlay with **outstanding noise reduction.**

■ The sound of silence...

TimberTech2 Acoustic Plus has an exceptional impact sound insulation level of 27dB - really bringing down noise levels in the room and making it a better place to be.

■ Protects against moisture

The gold vapour barrier stops your floor covering being damaged by moisture rising up from the sub-floor.

■ Heavyweight champ

The heavy mass stability of TimberTech2 Acoustic Plus means your floor's always fully supported, reducing the wear and tear to it, whatever a pounding it takes

The high tensile strength of TimberTech2 Acoustic Plus makes it suitable for any installation - including commercial use.

The extra thickness helps smooth out uneven subfloor areas, making the flooring last longer.

Being dust free, it's cleaner and easier to install, with less clearing up needed afterwards.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy Traffic

Ranking 12

Wood



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-TTA-02
Size	1m x 8m (8m ²)
Thickness	5mm
RRP (ex.VAT)	£5.99/m ²



Simply Better

Carpet Underlays

Traffilay Group

Light Traffic

Product Suitable for Carpet	Ranking Score*	Cushioning	Level Floors	Hardwearing	Moisture Protection	Compression Recovery	Heat Insulation	Sound Reduction	Underfloor Heating	Commercial Use
EconoLay	1	■								
FloorSure Bronze	2	■				■				
FloorSure Silver	3	■				■				
FloorSure Gold	4	■				■	□	□		

Medium Traffic

HighLine Silver	5	■				■				
HighLine Gold	6	■				■	□	□		
SpringBack Silver	5	■				■				
SpringBack Gold	6	■				■				
EverSpring Thermal	7			■					■	
LuxiFeel Endure	8	■					□			■

Heavy Traffic

CombiFelt Acoustic	9			■				■		■
HeatWave	11	■				□			■	
UltraBounce Silver	9	■				■	□			
UltraBounce Gold	10	■				■	□	■		
SkyWalk Bronze	10			■		■	□			
SkyWalk Silver	11	■				■	■	■		
SkyWalk Gold	12			■		■	□	□		
WorkForce Flame	13			■						■
WorkForce Rapid	14			■						■

Key:

■
Denotes
main
benefits

□
Denotes
secondary
benefits

*This is how we have rated our products on overall performance for quick comparison.

Light
Traffic

Ranking
1

Carpet

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-ECL-01
Size	1.2m x 12m (14.4m ²)
Thickness	6mm
RRP (ex.VAT)	£2.50/m ²

QA EconoLay Underlay

A versatile PE foam underlay that keeps **carpets looking good.**



■ Carpet lasts longer

By giving your floor covering the perfect level of support, EconoLay protects it from excess wear and even impact damage – so it'll still be looking great for years to come!

■ Lightening the load

The lightweight material means EconoLay's not only a breeze to lift and move around, but also quick and easy to cut and install – all of which saves time and effort during installation.

■ A greener future

As it's 100% recyclable, the closed cell polyethylene foam in EconoLay is kinder to the environment in the long run...giving us all a brighter future as well as a more comfortable home.

Being dust free means EconoLay is cleaner and easier to install, with less cleaning up needed afterwards.

Light
Traffic

Ranking
2

Carpet

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*


* Suitable for hotels and public buildings

Available in

Code	QAU-FSB-01
Size	1.37m x 11m (15.07m ²)
Thickness	7mm
RRP (ex.VAT)	£4.99/m ²

QA FloorSure Bronze Underlay

PU foam featuring **excellent resilience.**



■ Feels good to feet

The polyurethane foam used in our FloorSure range may be light in weight, but your feet would never know – they'll simply enjoy the warm, soft comfort this fantastic underlay offers!

■ Brilliant bounce back

Under pressure, this is an underlay that really performs – retaining its ability to spring back much better than a typical sponge rubber product, to help your carpet keep that 'just-fitted' look.

■ Light fantastic

It may be no lightweight in performance, but FloorSure Bronze's certainly much easier and safer to lift and handle compared with sponge rubber and felt underlays – thanks to its lightweight PU foam.

FloorSure Bronze also offers very good thermal insulation, to help your whole room feel warmer and more comfortable.

It's not only light and easy to manoeuvre, but also quick and easy to cut and install – saving time on installation.

With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.



FloorSure Silver Underlay

PU foam featuring **excellent resilience.**

■ Feels good to feet

The polyurethane foam used in our FloorSure range may be light in weight, but your feet would never know - they'll simply enjoy the warm, soft comfort this fantastic underlay offers!

■ Brilliant bounce back

Under pressure, this is an underlay that really performs - retaining its ability to spring back much better than a typical sponge rubber product, to help your carpet keep that 'just-fitted' look.

■ Light fantastic

It may be no lightweight in performance, but FloorSure Silver's certainly much easier and safer to lift and handle compared with sponge rubber and felt underlays - thanks to its lightweight PU foam.



FloorSure Silver also offers very good thermal insulation, to help your whole room feel warmer and more comfortable.

It's not only light and easy to manoeuvre, but also quick and easy to cut and install - saving time on installation.


With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.

Light Traffic

Ranking 3

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-FSS-01
Size	1.37m x 11m (15.07m ²)
Thickness	8mm
RRP (ex.VAT)	£5.99/m ²



FloorSure Gold Underlay

Resilient PU foam with a **truly luxurious feel.**

■ Feels great to feet

FloorSure Gold is made from a polyurethane foam that's light in weight, but gives your feet a real treat - warm and comfortable, coupled with a softness that feels simply gorgeous!

■ Brilliant bounce back

Performance under pressure - this is an underlay that retains its ability to spring back much better than a typical sponge rubber product, to help your carpet keep that 'just-fitted' look.

■ Light fantastic

While it's no lightweight in performance, FloorSure Gold's certainly much easier and safer to lift and handle compared with sponge rubber and felt underlays - thanks to its lightweight PU foam.



FloorSure Gold also offers very good thermal insulation, to help your whole room feel warmer and more comfortable.

It's not only light and easy to manoeuvre, but also quick and easy to cut and install - saving time on installation.

With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.

Light Traffic

Ranking 4

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-FSG-01
Size	1.37m x 11m (15.07m ²)
Thickness	10mm
RRP (ex.VAT)	£6.99/m ²

Simply Better

A TREAT FOR FEET



**QA HighLine Silver & Gold
add a touch of luxury.**



HighLine Silver Underlay

A high performance PU foam underlay combining softness and strength.



■ A treat for your feet

HighLine Silver's polyurethane foam not only makes it extremely durable, but also adds a really deep, comfortable feeling to your carpet. It'll certainly put a spring in your step!

■ Brilliant bounce back

Under pressure, this is an underlay that really performs – retaining its ability to spring back much better than a typical sponge rubber product, to help your carpet keep that 'just-fitted' look.

■ Built to last

On and on and on...HighLine Silver's designed for durability, so it won't dry out, crumble or react to everyday household cleaners. In fact it's guaranteed for the lifetime of the carpet!

HighLine Silver offers very good thermal insulation, to help your whole room feel warmer and more comfortable.

The density of HighLine Silver helps give it excellent impact and sound insulation (34dB), making your home quieter.


With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.

Medium Traffic

Ranking 5

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-HLS-01
Size	1.37m x 11m (15.07m ²)
Thickness	8mm
RRP (ex.VAT)	£6.50/m ²



HighLine Gold Underlay

A high performance PU foam underlay combining softness and strength.



■ A treat for your feet

HighLine Gold's polyurethane foam not only makes it extremely durable, but also adds a really deep, comfortable feeling to your carpet. It'll certainly put a spring in your step!

■ Brilliant bounce back

Under pressure, this is an underlay that really performs – retaining its ability to spring back much better than a typical sponge rubber product – to help your carpet keep that 'just-fitted' look.

■ Built to last

On and on and on...HighLine Gold's designed for durability, so it won't dry out, crumble or react to everyday household cleaners. In fact it's guaranteed for the lifetime of the carpet!

HighLine Gold offers very good thermal insulation, to help your whole room feel warmer and more comfortable.

The density of HighLine Gold helps give it excellent impact and sound insulation (38dB), making your home quieter.

With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.

Medium Traffic

Ranking 6

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-HLG-01
Size	1.37m x 11m (15.07m ²)
Thickness	10mm
RRP (ex.VAT)	£7.50/m ²

Simply Better

Medium
Traffic

Ranking
5

Carpet

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-SBS-01
Size	1.37 x 11m (15.07m ²)
Thickness	8mm
RRP (ex.VAT)	£4.99/m ²

QA SpringBack Silver Underlay

A premium PU foam underlay with the softest touch.



- **Pure underfoot luxury**
SpringBack Silver's top-grade polyurethane foam has an unbelievable softness to give unbeatable underfoot comfort.
- **SpringBack by name... and nature**
It's all in the name...SpringBack Silver really performs under pressure, retaining its ability to spring back much better than a typical sponge rubber product. Your carpet will look good for so much longer!
- **Designed for durability**
SpringBack Silver is extremely hardwearing and won't dry out, crumble or react to everyday household cleaners. In fact it's guaranteed for the lifetime of the carpet!

With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.

Medium
Traffic

Ranking
6

Carpet

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-SBG-01
Size	1.37 x 11m (15.07m ²)
Thickness	10mm
RRP (ex.VAT)	£6.99/m ²

QA SpringBack Gold Underlay

A premium PU foam underlay with the softest touch.



- **Pure underfoot luxury**
SpringBack Gold's top-grade polyurethane foam has an unbelievable softness to give unbeatable underfoot comfort.
- **SpringBack by name... and nature**
It's all in the name...SpringBack Gold really performs under pressure, retaining its ability to spring back much better than a typical sponge rubber product. Your carpet will look good for so much longer!
- **Designed for durability**
SpringBack Gold is extremely hardwearing and won't dry out, crumble or react to everyday household cleaners. In fact it's guaranteed for the lifetime of the carpet!

With 100% recyclable polyurethane foam, this eco-friendly underlay improves the environment in more ways than one.



EverSpring Thermal Underlay

Durable luxury grade sponge rubber range ideal for underfloor heating.

■ The heat is on

EverSpring Thermal has an ultra low tog value (0.8), which means it allows your underfloor heating system to work more efficiently and keep your room – and you – as warm as toast!

■ Keeps bouncing back

The extra high density sponge rubber is exceptionally hardwearing, and under pressure EverSpring Thermal really performs – retaining its ability to spring back to help your carpet keep that ‘just-fitted’ look.

■ Great all-rounder

This is one versatile underlay – it’s not only suitable for domestic installation, but also exceeds the British standard for heavy contract use (BS 5808:1991).

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Medium Traffic

Ranking 7

Carpet



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-EST-01
Size	1.37m x 7.3m (10m ²)
Thickness	6.9mm
RRP (ex.VAT)	£7.99/m ²

Medium
Traffic

Ranking
8

Carpet



QA LuxiFeel Endure Underlay

Exceptional quality in a traditional felt underlay for **all carpet installations.**

■ A treat for your feet

This top quality 42oz felt underlay is not only extremely durable, but also 'beds in' well to add a really comfortable feel to your carpet. It'll certainly put a spring in your step!

■ Built to last

On and on and on...this is an underlay designed for durability. It won't crumble over time and takes even heavier use in its stride, such as chairs with castor wheels.

■ Relax - it's fire-resistant

As well as long-lasting comfort, LuxiFeel Endure gives you added peace of mind thanks to its flame-retardant properties - in fact, it's Fire Safety Rated under BS 4790:1987.

Not only is LuxiFeel Endure made from recycled material, it's also 100% recyclable, and so kinder to the environment in the long run.

Thanks to good thermal insulation this is an underlay that both gives your carpet a soft feel and helps your room feel warmer.

By allowing air to circulate and your carpet to breathe, the material stops the build up of moisture that can lead to mildew.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-LFE-01
Size	1.37m x 11m (15.07m ²)
Thickness	11mm
RRP (ex.VAT)	£4.99/m ²



CombiFelt Acoustic Underlay

Extra-tough felt and rubber combination perfect for **prestige carpets.**

■ A touch more luxurious

Giving a firm but truly plush feel under your feet, this is an ideal choice for luxury settings and is widely used under Axminster and quality twist carpets.

■ Built to last

This is an underlay designed for fantastic durability. It won't crumble over time and takes even the heaviest use in its stride - it actually exceeds BS5808 (Heavy Contract Use)!

■ Shhh! Underlay at work

CombiFelt Acoustic has unbelievable impact sound insulation...so not only does it make your carpet feel softer and more luxurious, you'll notice a real difference in noise levels.

On top of all its other benefits, CombiFelt Acoustic is fire retardant...giving you extra peace of mind.

The ultra-strong crumb rubber backing means CombiFelt Acoustic is an underlay with long life performance.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy Traffic

Ranking 9

Carpet



Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-CFA-01
Size	1.37m x 7.3m (10m ²)
Thickness	10mm
RRP (ex.VAT)	£8.99/m ²

FEEL WARMER
INSIDE



**HeatWave from QA
lets the heat in
for a cosier room.**

A super soft
PU foam
underlay
which is **flame
retardant.**

■ **Fire safety comes first**

HeatWave is designed to be safer if a fire breaks out in the home, thanks to its flame retardant properties... so there's no need to worry about hidden dangers under your floor if the worst should happen.

■ **That soft feeling...**

HeatWave is made from very pure polyurethane foam, so is very soft and gives unbeatable underfoot comfort...sitting on your carpet will feel like sitting on your sofa!

■ **Heatwave under the floor**

HeatWave has a tog value of only 1.2, which allows underfloor heating to work away at keeping the room nice and warm.

HeatWave doesn't stop bouncing back... it performs really well under pressure, retaining its ability to spring back. So your carpet will look like new for much longer!

The holes punched in this underlay make it breathable, so it improves air circulation and contributes to better air quality in the home.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy
Traffic

Ranking
11

Carpet



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-HWA-01
Size	1.37m x 11m (15.07m ²)
Thickness	8mm
RRP (ex.VAT)	£10.99/m ²

PERFORMANCE UNDER PRESSURE



**QA UltraBounce Silver & Gold
resist compression to keep floors
in better shape.**



UltraBounce Silver Underlay

Luxurious PU foam underlay for **the best comfort underfoot.**



- Bounceback supreme!**
 UltraBounce Silver feels exactly like it reads...it retains its ability to keep bouncing back much better than typical sponge rubber products, so your carpet keeps that 'just fitted' look for longer.
- Backed by extra strength**
 The strong mesh backing gives UltraBounce Silver excellent stability, so there's no moving or stretching- greatly reducing wear and tear to the carpet.
- So comfortable underfoot**
 Only top grade polyurethane foam is used in this underlay so it gives an unbeatable soft and luxurious feel to your carpet. Your feet are in for a treat!

The high density of UltraBounce Silver helps give it outstanding impact sound insulation (38dB), making the whole room quieter.

Excellent thermal insulation (2.4 TOG) means this underlay gives your carpet a soft feel and helps your room feel warmer.


The dense polyurethane foam that UltraBounce Silver is made from is 100% recyclable, so is better for the environment in the long run.

Heavy Traffic

Ranking 9

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-ULS-01
Size	1.37m x 11m (15.07m ²)
Thickness	9mm
RRP (ex.VAT)	£7.99/m ²



UltraBounce Gold Underlay

Luxurious PU foam underlay for **the best comfort underfoot.**



- Bounceback supreme!**
 UltraBounce Gold feels exactly like it reads...it retains its ability to keep bouncing back much better than typical sponge rubber products, so your carpet keeps that 'just fitted' look for longer.
- Backed by extra strength**
 The strong mesh backing gives UltraBounce Gold excellent stability, so there's so moving or stretching- greatly reducing wear and tear to the carpet.
- So comfortable underfoot**
 Only top grade polyurethane foam is used in this underlay so it gives an unbeatable soft and luxurious feel to your carpet. Your feet are in for a treat!

The high density of UltraBounce Gold helps give it outstanding impact sound insulation (44dB), making the whole room quieter.

Excellent thermal insulation (3 TOG) means this underlay gives your carpet a soft feel and helps your room feel warmer.

The dense polyurethane foam that UltraBounce Gold is made from is 100% recyclable, so is better for the environment in the long run.

Heavy Traffic

Ranking 10

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-ULG-01
Size	1.37m x 11m (15.07m ²)
Thickness	11mm
RRP (ex.VAT)	£8.99/m ²

Simply Better

BUILT TO
LAST



**Designed for durability -
that's SkyWalk from QA.**



SkyWalk Bronze Underlay

Luxury reinforced PU foam underlay for **added comfort, warmth and quietness.**



■ A treat for your feet

The high density polyurethane foam (classified to BS5808 Luxury Use) adds a really deep, plush, comfortable feeling to your carpet - it'll certainly put a spring in your step!

■ Shhh! Underlay at work

SkyWalk Bronze's sheer density gives it outstanding impact sound insulation (40dB)...so not only does it make your carpet feel softer and more luxurious, you'll notice a real difference in noise levels too.

■ Brilliant bounce back

Under pressure, this is an underlay that really performs - retaining its ability to spring back much better than a typical sponge rubber product - to help your carpet keep that 'just-fitted' look.

The strong mesh backing adds extra stability so there's no moving or stretching - keeping your floor covering exactly where it should be.

Excellent thermal insulation means this underlay both gives your carpet a soft feel and helps your room feel warmer.


SkyWalk Bronze's high density polyurethane foam is 100% recyclable, and so kinder to the environment in the long run.

Heavy Traffic

Ranking 10

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-SWB-01
Size	1.37m x 11m (15.07m ²)
Thickness	9mm
RRP (ex.VAT)	£7.99/m ²



SkyWalk Silver Underlay

Luxury reinforced PU foam underlay for **added comfort, warmth and quietness.**



■ A treat for your feet

The high density polyurethane foam (classified to BS5808 Luxury Use) adds a really deep, plush, comfortable feeling to your carpet - it'll certainly put a spring in your step!

■ Shhh! Underlay at work

SkyWalk Silver's sheer density gives it outstanding impact sound insulation (44dB)...so not only does it make your carpet feel softer and more luxurious, you'll notice a real difference in noise levels too.

■ Brilliant bounce back

Under pressure, this is an underlay that really performs - retaining its ability to spring back much better than a typical sponge rubber product - to help your carpet keep that 'just-fitted' look.

The strong mesh backing adds extra stability so there's no moving or stretching - keeping your floor covering exactly where it should be.

Excellent thermal insulation means this underlay both gives your carpet a soft feel and helps your room feel warmer.


SkyWalk Silver's high density polyurethane foam is 100% recyclable, and so kinder to the environment in the long run.

Heavy Traffic

Ranking 11

Carpet

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-SWS-01
Size	1.37m x 11m (15.07m ²)
Thickness	11mm
RRP (ex.VAT)	£8.99/m ²

Simply Better

Heavy
Traffic

Ranking
12

Carpet



QA SkyWalk Gold Underlay

Eco-friendly
PU foam
underlay
perfect for
**heavy duty
domestic use.**

■ Tough stuff!

The polyurethane foam may be eco-friendly (it's recycled and 100% recyclable), but the extra high density - 145kg/m^3 - is extremely hardwearing, giving your carpet longer life too!

■ Brilliant bounce back

Under pressure, this is an underlay that really performs - able to spring back much better than a typical sponge rubber product - to help your carpet keep that 'just-fitted' look.

■ Keeps flooring in its place

The strong mesh backing helps give SkyWalk Gold excellent stability to stop movement in your flooring, greatly reducing wear and tear!

For stretch fit and double stick installations, you'll find SkyWalk Gold underlay ideal.

Excellent thermal insulation - 2.6 TOG - means your whole room feels warmer and more comfortable.

The sheer density of SkyWalk Gold helps give it first-rate impact sound insulation (40dB), making your room quieter.

Try out our **Traffily** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-SWG-01
Size	1.37m x 11m (15.07m ²)
Thickness	9mm
RRP (ex.VAT)	£9.99/m ²

High density
PU foam
underlay
for **heavy
commercial
use.**

■ **Heavyweight champ**

This is one tough underlay, meeting BS5808 (Heavy Contract) for the most demanding installations, including multi-level buildings such as apartments, hotels and office blocks.

■ **Built to last**

While the polyurethane foam is recycled and 100% recyclable, its ultra high density of 180kg/m³ makes it also extremely hardwearing – for a longer-lasting performance!

■ **Strong and stable**

WorkForce Flame also features a strong mesh backing, to help give it exceptional stability. And with less movement in your flooring, wear and tear’s greatly reduced!

WorkForce Flame underlay is particularly good for stretch fit and double stick installations.

It’s also highly fire retardant, meeting various IMO Resolutions...and giving you extra peace of mind.

WorkForce Flame’s added density means it has outstanding impact sound insulation – just 33dB – to make your room quieter.

Try out our **Trafilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy Traffic	Ranking 13	Carpet
---------------	------------	--------



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-WFF-01
Size	1.37m x 11m (15.07m ²)
Thickness	6mm
RRP (ex.VAT)	£9.99/m ²

ALWAYS UP TO
THE JOB



**QA WorkForce Rapid,
tough enough to cope with
commercial pressures.**



WorkForce Rapid Underlay

Self-adhesive needle felt underlay for **faster, more economical fitting.**

■ Fit it fast!

With a semi-permanent adhesive built-in, WorkForce Rapid saves on installation time - reducing it by up to 40% using the single stick method - and saves on adhesive costs!

■ Strength in depth

The PES non-woven top layer's stability makes it very resilient, easier for applying glue and great for lining up patterned carpets - it's perfect under natural floor coverings too, like seagrass and sisal.

■ Always up to any job

This is a tough underlay ideal for any domestic or heavy contract use, able to withstand whatever's thrown at it - whether that's pounding feet, wheelchairs or chairs on castors!

Although self-adhesive, there's no damage or residue left when you take up WorkForce Rapid - so you needn't worry about subfloor damage from tack strips, nails and glue.

Where other underlays might crumble over time, WorkForce Rapid goes the distance...thanks to its long-term toughness and unbeatable load-bearing ability.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy Traffic

Ranking 14

Carpet



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-WFR-01
Size	1.37m x 11m (15.07m ²)
Thickness	6.5mm
RRP (ex.VAT)	£10.99/m ²

Professional Systems

Heavy Traffic

Key:

- Denotes main benefits
- Denotes secondary benefits

Professional Systems	Ranking Score*	Cushioning	Level Floors	Hardwearing	Moisture Protection	Compression Recovery	Heat Insulation	Sound Reduction	Underfloor Heating	Commercial Use
SoundClick	10			□		□		■	■	
FastFit	13		■					□	■	■
E-Board Timber	14		□				□	■		■
E-Board Concrete	14		□				□	■		■
E-Roll Standard	11			■		□		■	□	■
E-Roll Extra	12			■		□		■	□	■
Livello	10	■				□		■	□	

*This is how we have rated our products on overall performance for quick comparison.



SoundClick Underlay

Lightweight underlay for click vinyl flooring, with **anti-slip top surface.**

■ No slip-ups with the floor

SoundClick has an anti-slip top surface, which holds the flooring firmly in place. It makes it so much easier to fit, without the pieces sliding around. And when the floor is down, you can guarantee it won't be going anywhere - even if it takes the full force of family use!

■ Quietly does it...

The dense, closed cell polyolefin foam of SoundClick gives it 18dB sound reduction - so it deadens any loud noise and makes the whole room quieter.

■ That warm feeling

SoundClick has an ultra low tog value of just 0.27, which means your underfloor heating system works much more efficiently, keeping your floor lovely and warm!

The crosslinked, closed cell structure of the foam resists compression, making sure your floor's supported for life, however heavy the load is.

SoundClick is very lightweight, making it easy and safe to lift and handle. It's also a dream to cut, so takes time and effort out of installation.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy Traffic

Ranking 10

Vinyl



Best for


Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-SCL-01
Size	1m x 15m (15m ²)
Thickness	1.5mm
RRP (ex.VAT)	£5.99/m ²

LUXURY FLAT



**Smooth out uneven floors,
with QA FastFit.**

High quality free-floating system for creating a smooth subfloor fast.

1. Floor covering

Linoleum,
Vinyl sheet plank-tiles


2. Adhesive

3. FastFit

4. P.E. Foam

5. Existing Substrate

Vinyl, Solid wood floors,
Ceramic tiles, Concrete,
plus most combinations
of subfloor



■ Easy does it

With a 3mm base and 4mm top board bound by a special interactive adhesive, FastFit lives up to its name – it's quick, clean and easy to install compared with traditional screeds.

■ Smooth, stable and simply warmer

The system's designed to create a subfloor layer over underfloor heating systems for a perfect finish ready for the floor covering – with very low thermal resistance to really let heat through.

■ Lightening the load

The lightweight MDF material means FastFit's a breeze to lift and manoeuvre, so with its quick and easy installation you'll really save time and effort.

The double layer construction gives you excellent impact and sound insulation, making the whole room quieter.

FastFit can be installed over existing hard surfaces, to save even more time during fitting.

With all its time-saving benefits, FastFit's ideally suited to commercial installations.

Try out our **Trafilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Heavy
Traffic

Ranking
13

Linoleum
Vinyl
Cork



Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-FFT-01
Panel size	600mm x 1200mm (0.72m ²)
Pack size	4 lower & 4 upper panels (2.88m ²)/pack
Pallet size	48 packs (138.24m ²)/pallet
Thickness	3mm lower panels. 4mm upper panels. (7mm overall)
RRP (ex.VAT)	£24.86/m ²

SHHH...
UNDERLAY
AT WORK



**QA's E-Board Timber
& Concrete keep it quiet.**



E-Board Timber Underlay

High performance acoustic underlay system for timber subfloors.



■ Quiet please...

A layer of Class O Acoustic Foam sandwiched between Acoustic Barrier means excellent impact (53dB) and airborne sound (49dB) insulation – ideal for new, retrofit or renovation projects in offices, homes and hotels.

■ Relax - it's fire-resistant

The Class O Acoustic Foam is also fully tested to meet BS476: parts 6 & 7 for fire resistance, adding peace of mind to peace and quiet.

■ Meet the regs

Whether it's used in commercial or residential installations, you can rely on E-Board Timber to fully comply with Doc E of the Building Regulations.

Ideal under any floor finish – carpet can be fitted directly onto it, but for solid wood, laminate, ceramic or vinyl we recommend adding 6mm ply or MDF to reduce flex.

E-Board Timber smoothes out any unevenness to give the ideal support for any floor covering.


The lightweight tiles are easy to lift and simple to cut and install, saving time and effort during fitting.

Heavy Traffic

Ranking 14

All Floor Finishes

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-EBT-01
Size	1.2m x 1m (1.2m ²)
Thickness	12mm
RRP (ex.VAT)	£37.50/m ²



E-Board Concrete Underlay

Underlay system for concrete subfloors with brilliant acoustic performance.



■ Shhh...underlay at work

Truly exceptional impact sound insulation (57dB) and airborne sound insulation (47dB) comes from a two-layer underlay with Acoustic Barrier backed by 6mm Class O Acoustic Foam.

■ Fire safe and sound

Meeting BS476: parts 6 & 7 – the highest level for Class O – the Acoustic Foam is a fully tested for fire resistance – and peace of mind.

■ Commercial or residential

Ideal for new, retrofit or renovation projects in offices, homes and hotels, E-Board Concrete fully meets Doc E (July 2003) of the Building Regulations.

The versatile E-Board Concrete can have carpet fitted directly onto it, or for solid wood, laminate, ceramic or vinyl flooring add 6mm ply or MDF first to reduce flex.

With any type of uneven subfloor, the E-Board Concrete underlay levels it out to provide a perfect base for any floor covering.


Save time and effort during fitting with lightweight tiles that are easy to lift and simple to cut and install.

Heavy Traffic

Ranking 14

All Floor Finishes

Best for



* Suitable for hotels and public buildings

Available in

Code	QAU-EBC-01
Size	1.2m x 1m (1.2m ²)
Thickness	9mm
RRP (ex.VAT)	£33.33/m ²

Simply Better

Heavy
Traffic

Ranking
11

Wood
Carpet
Ceramic

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings



E-Roll Standard Underlay

Tough, economical cork and rubber compound underlay with good acoustic performance.

■ Sounds great

Measured to BS EN ISO 140-8:1998, the cork granules and rubber granulate deaden impact sound at source for a more peaceful environment.

■ Built to last

On and on and on...this is an underlay designed for durability, with fantastic sturdiness and point loading ability – so you know it won't crumble over time.

■ Standard meets the standard

E-Roll Standard has been independently tested to show it meets Building Regulations Document E – so it's ideal for new build, refurbishment, residential, commercial and education projects.



The recycled rubber crumb and cork compound is extremely eco-friendly – zero environmental impact as it's made means it's a truly sustainable choice.

E-Roll Standard stays cool under pressure too – it resists compression, so gives solid and stable support even under heavy weights.

With good thermal properties, this is an ideal underlay with underfloor heating systems.

Available in

Code	QAU-ERS-01
Size	1.15m x 20m (23m ²)
Thickness	3mm
RRP (ex.VAT)	£12.90/m ²
Code	QAU-ERS-02
Size	1.15m x 12m (13.8m ²)
Thickness	4.5mm
RRP (ex.VAT)	£16.88/m ²

Heavy
Traffic

Ranking
12

All Floor
Finishes

Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings



E-Roll Extra Underlay

General purpose acoustic cork and rubber underlay for all floor types.

■ No noise

E-Roll Extra maximises the stifling of impact sound at source – in fact, it's so good it meets BS EN ISO 140-8:1998.

■ Great all-rounder

This is one versatile underlay, suitable for all floor finishes – especially vinyl and marmoleum/linoleum, because it won't cause discolouration of the flooring (which E-Roll Standard is prone to).

■ Rules the regulations

A perfect choice for new build, refurbishment, residential, commercial and education projects, E-Roll Extra has been independently tested to fully comply with Building Regulations Document E.



If being eco-friendly's a priority, this is an exceptional choice – the recycled rubber crumb and cork compound has zero impact during manufacture.

Designed for durability, E-Roll Extra won't crumble over time thanks to exceptional resilience and point loading capacity.

This is an ideal underlay for underfloor heating, as its thermal properties allow the system to work efficiently and keep the room warmer.

Available in

Code	QAU-ERE-01
Size	1m x 20m (20m ²)
Thickness	3mm
RRP (ex.VAT)	£13.50/m ²
Code	QAU-ERE-02
Size	1m x 18m (18m ²)
Thickness	4.5mm
RRP (ex.VAT)	£17.50/m ²

Complete installation system for use with QA Luvanto flooring.

■ **Fit it fast!**

Livello can be laid over existing hard floor coverings, and with a strong adhesive already built-in fitting's really quick and easy - reducing installation time by up to 50%!

■ **Feels good to feet**

Your feet are in for a treat - Livello's cushioning material makes your floor feel softer and warmer to walk on, and helps it absorb the impact if anything's dropped on it.

■ **Quiet please...**

With brilliant sound reduction (23dB), Livello underlay deadens noise both in the room and underneath it, making a big difference to how your home feels.

With Livello in place, there's no need to wait for the adhesive to set - your new Luvanto floor can be walked on straight away!

Not only is Livello made from recycled material, it's also 100% recyclable, and so kinder to the environment in the long run.

Try out our **Traffilay** system online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



Heavy Traffic	Ranking 10	Vinyl
---------------	------------	-------



Best for

Cushioning	Moisture Protection	Sound Reduction
Level Floors	Compression Recovery	Underfloor Heating
Hard Wearing	Heat Insulation	Commercial Use*

* Suitable for hotels and public buildings

Available in

Code	QAU-LVL-01
Size	1m x 15m (15m ²)
Thickness	2.5mm
RRP (ex.VAT)	£6.50/m ²



Accessories

As a professional, these are the things you simply can't do without. The tools of your trade, the everyday items you rely on... and you can rely on QA to have a complete range of quality accessories that give you great value too.



Accessories

CONTENTS

Standard Profiles

Heavy Duty Profiles

Self Adhesive Profiles

Retail Packs

Stair Nosings

Gripper

Scotia Beading

Finishing Strips

Adhesives


Tapes

Tools

Flooring Paper

Floor Protectors


Packaging






Standard Profiles

Accessories




Single Edge

Protects the carpet edge for a neat finish.




Carpet Square Edge

A versatile edging for all sorts of uses including carpet capping or finishing in open plan areas; can be easily mitred to form an access panel. Fine ribbed design keeps its looks even under heavy traffic.



Dual Grip

For a tidy, protected joint between two carpets.




Cover Strip

Covers and protects on a wide range of floor coverings. Pleated and fluted; fixings included.


A range of profiles that offers superb **quality** and terrific value.

Code	Length	Qty per carton	Colour
QAA-SSE-S1	0.9m	45	Silver
QAA-SSE-G1	0.9m	45	Gold
QAA-SSE-S2	2.7m	15	Silver
QAA-SSE-G2	2.7m	15	Gold




A: 37mm B: 9mm

Code	Length	Qty per carton	Colour
QAA-SCE-S2	2.7m	15	Silver
QAA-SCE-G2	2.7m	15	Gold



A: 32mm B: 12mm

Code	Length	Qty per carton	Colour
QAA-SDG-S1	0.9m	45	Silver
QAA-SDG-G1	0.9m	45	Gold
QAA-SDG-S2	2.7m	15	Silver
QAA-SDG-G2	2.7m	15	Gold



A: 50mm B: 6.8mm C: 20mm

Code	Length	Qty per carton	Colour
QAA-SCS-S1	0.9m	45	Silver
QAA-SCS-G1	0.9m	45	Gold
QAA-SCS-S2	2.7m	15	Silver
QAA-SCS-G2	2.7m	15	Gold




A: 37mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Standard Profiles

Accessories




Carpet Cover Strip

Angled ribs underneath lock into the pile and pull the two carpets together as the strip's screwed to the floor. Suitable for all types of carpet; fixings included.




Extra Wide Cover Strip

Perfect for covering difficult joints between any floor coverings - one of the widest designs on the market. Fixings included.



9mm Z Section

For a neat join where laminated smooth flooring meets carpet. Lightly tap on top of the strip with a rubber mallet after fitting for a snug fit to edges of floor coverings.



14mm Z Section

A larger version of our Standard 9mm Z Section designed for thicker wood and carpet.

Code	Length	Qty per carton	Colour
QAA-SCC-S1	0.9m	45	Silver
QAA-SCC-G1	0.9m	45	Gold
QAA-SCC-S2	2.7m	15	Silver
QAA-SCC-G2	2.7m	15	Gold




A: 37mm

Code	Length	Qty per carton	Colour
QAA-SWC-S2	2.7m	15	Silver
QAA-SWC-G2	2.7m	15	Gold




A: 61mm

Code	Length	Qty per carton	Colour
QAA-SZS-S1	0.9m	45	Silver
QAA-SZS-G1	0.9m	45	Gold
QAA-SZS-S2	2.7m	15	Silver
QAA-SZS-G2	2.7m	15	Gold



A: 42mm B: 8mm C: 28mm

Code	Length	Qty per carton	Colour
QAA-SZP-S2	2.7m	10	Silver
QAA-SZP-G2	2.7m	10	Gold




A: 54mm B: 14mm C: 40mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Standard Profiles

Accessories




8.5mm Round Edge

For a smoother join to resilient flooring - fits over the edge of laminate and allows for expansion. No screws or fixings needed.




14.5mm Round Edge

A 14.5mm version of the 8.5mm Round Edge.



8.5mm Laminate Square Edge

Forms a neat square edge for other floor coverings to butt up to - useful for finishing around French windows or raised thresholds. Fits over the edge of laminate.



14.5mm Laminate Square Edge

A 14.5mm version of our 8.5mm Square Edge.

Code	Length	Qty per carton	Colour
QAA-SRE-S2	2.7m	10	Matt Silver
QAA-SRE-G2	2.7m	10	Matt Gold

A: 48.5mm B: 8.5mm C: 39.5mm

Code	Length	Qty per carton	Colour
QAA-SRN-S2	2.7m	10	Matt Silver
QAA-SRN-G2	2.7m	10	Matt Gold

A: 60.5mm B: 14.5mm C: 47mm

Code	Length	Qty per carton	Colour
QAA-SLE-S2	2.7m	10	Matt Silver
QAA-SLE-G2	2.7m	10	Matt Gold

A: 32mm B: 8.5mm C: 16.5mm

Code	Length	Qty per carton	Colour
QAA-SLN-S2	2.7m	10	Matt Silver
QAA-SLN-G2	2.7m	10	Matt Gold


A: 32mm B: 14.5mm C: 16.5mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Standard Profiles

Accessories




8.5 mm Double Edge

For a neat join between two laminates. No fixings required.




Vinyl Cover Strip

Covers and protects joints between vinyl floor coverings of any grades and thickness. Fixings included.



Vinyl Edge


Neatens and protects the edge of resilient vinyl floor coverings up to 4mm thick. Fixings included.



Carpet Tile Edge

Designed to protect exposed edges of loose laid carpet tiles where there's no wall line.

Code	Length	Qty per carton	Colour
QAA-SDE-S2	2.7m	10	Matt Silver
QAA-SDE-G2	2.7m	10	Matt Gold




A: 45mm B: 8.5mm C: 31.5mm

Code	Length	Qty per carton	Colour
QAA-SVC-S1	0.9m	45	Silver
QAA-SVC-G1	0.9m	45	Gold
QAA-SVC-S2	2.7m	15	Silver
QAA-SVC-G2	2.7m	15	Gold




A: 25mm

Code	Length	Qty per carton	Colour
QAA-SVE-S1	0.9m	45	Silver
QAA-SVE-G1	0.9m	45	Gold
QAA-SVE-S2	2.7m	15	Silver
QAA-SVE-G2	2.7m	15	Gold



A: 27.7mm

Code	Length	Qty per carton	Colour
QAA-SCT-S2	2.7m	15	Silver
QAA-SCT-G2	2.7m	15	Gold




A: 28mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Heavy Duty Profiles

Accessories



Single Edge

A wider base and stronger frame to suit thicker carpets.



Dual Grip

With a 28mm top and 62mm base, this is simply a heavier duty version of the standard Dual Grip.

Our profiles – designed to take any **punishment!**

Code	Length	Qty per carton	Colour
QAA-HSE-S2	2.7m	15	Silver
QAA-HSE-G2	2.7m	15	Gold

A: 40mm B: 10.5mm

Code	Length	Qty per carton	Colour
QAA-HDG-S2	2.7m	9	Silver
QAA-HDG-G2	2.7m	9	Gold

A: 62mm B: 7.5mm C: 28mm




View all our accessories online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.




Self Adhesive Profiles

Accessories




8mm Angle Edge

For a smooth join to resilient floor coverings. Quick and easy to install.




14mm Angle Edge

A 14mm version of the Self Adhesive 8mm Angle Edge.



20mm Angle Edge

The largest version of our Self Adhesive 8mm Angle Edge.



Euro Cover Strip

A high quality, easy to install cover strip for most floor coverings of equal level.

Choose our **self adhesive** range for fantastic quality combined with faster fitting.

Code	Length	Qty per carton	Colour
QAA-AAE-S2	2.7m	10	Matt Silver
QAA-AAE-G2	2.7m	10	Matt Gold

A: 43mm B: 8mm C: 10mm

Code	Length	Qty per carton	Colour
QAA-AAN-S2	2.7m	10	Matt Silver
QAA-AAN-G2	2.7m	10	Matt Gold

A: 43mm B: 14.3mm C: 16.3mm

Code	Length	Qty per carton	Colour
QAA-AAX-S2	2.7m	10	Matt Silver
QAA-AAX-G2	2.7m	10	Matt Gold

A: 53.5mm B: 22mm

Code	Length	Qty per carton	Colour
QAA-AEC-S2	2.7m	10	Matt Silver
QAA-AEC-G2	2.7m	10	Matt Gold


A: 38.5mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Self Adhesive Profiles

Accessories




9mm Nosing

A quick and easy to use choice for wood/laminate. Ideal for a neat finish.



15mm Nosing


An ideal choice for wood/laminate, with the advantage of quick and easy self adhesive fixing.



20mm Nosing


A larger version of our 9mm and 15mm Nosings.

Code	Length	Qty per carton	Colour
QAA-ANO-S2	2.7m	10	Matt Silver
QAA-ANO-G2	2.7m	10	Matt Gold




A: 25mm B: 9mm

Code	Length	Qty per carton	Colour
QAA-ANX-S2	2.7m	10	Matt Silver
QAA-ANX-G2	2.7m	10	Matt Gold




A: 25mm B: 15mm

Code	Length	Qty per carton	Colour
QAA-ANZ-S2	2.7m	10	Matt Silver
QAA-ANZ-G2	2.7m	10	Matt Gold




A: 25mm B: 20mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Single Edge

Protects the carpet edge for a neat finish.




Dual Grip

For a tidy, protected joint between two carpets.



Cover Strip

Covers and protects on a wide range of floor coverings. Pleated and fluted.




Z Section

For a neat joint where laminated smooth flooring meets carpet. Lightly tap on top of the strip with a rubber mallet after fitting for a snug fit to edges of floor coverings.


Our profiles are also available for DIY use, with **specially designed** packs for DIY outlets - individually wrapped, with an attractive label and eurohook for easy POS display.

Code	Length	Lengths/ carton	Colour
QAA-RSE-S1	0.9m	10	Silver
QAA-RSE-G1	0.9m	10	Gold



A: 37mm B: 9mm

Code	Length	Lengths/ carton	Colour
QAA-RDG-S1	0.9m	10	Silver
QAA-RDG-G1	0.9m	10	Gold




A: 50mm B: 6.8mm C: 20mm

Code	Length	Lengths/ carton	Colour
QAA-RCS-S1	0.9m	10	Silver
QAA-RCS-G1	0.9m	10	Gold




A: 37mm

Code	Length	Lengths/ carton	Colour
QAA-RZS-S1	0.9m	10	Silver
QAA-RZS-G1	0.9m	10	Gold



A: 42mm B: 8mm C: 28mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Vinyl Edge

Neatens and protects the edge of resilient vinyl floor coverings up to 4mm thick.

Code	Length	Lengths/ carton	Colour
QAA-RVE-S1	0.9m	10	Silver
QAA-RVE-G1	0.9m	10	Gold



A: 27.7mm




Extra Wide Cover Strip

Perfect for covering difficult joins between any floor coverings - one of the widest designs on the market.

Code	Length	Lengths/ carton	Colour
QAA-RWC-S1	0.9m	10	Silver
QAA-RWC-G1	0.9m	10	Gold



A: 61mm




Euro Cover Strip

A high quality, easy to install cover strip for most floor coverings of equal level. (Self Adhesive).

Code	Length	Qty per carton	Colour
QAA-REC-S1	0.9m	10	Matt Silver
QAA-REC-G1	0.9m	10	Matt Gold




A: 38.5mm



9mm Nosing

A quick and easy to use choice for wood/laminate. Ideal for a neat finish. (Self Adhesive).

Code	Length	Qty per carton	Colour
QAA-RNO-S1	0.9m	10	Matt Silver
QAA-RNO-G1	0.9m	10	Matt Gold



A: 25mm B: 9mm


View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Slim Line Stair Nosings


Accessories

Our **stair nosings** are available in standard lengths of 2.46m, 2.77m and 3.22m. Cutting and drilling service is available. Products marked (DDA) comply with the Disability Discrimination Act.





Single Square

Code	
QAA-SNS-01	A: 56mm B: 32mm




Single Rake Back

Code	
QAA-SNS-02	A: 57mm B: 32mm




Double Square

Code	
QAA-SNS-03	A: 85mm B: 32mm



Double Rake Back


Code	
QAA-SNS-04	A: 85mm B: 32mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.





Slim Line Stair Nosings



Accessories





Single Square Ramp




Single Rake Back Ramp



Single Bullnose



Single Square (DDA)




View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.





Slim Line Stair Nosings

Accessories




Single Rake Back (DDA)

Code	
QAA-SNS-09	A: 57mm B: 55mm



**Single Square (DDA)
Ramp**

Code	
QAA-SNS-10	A: 67mm B: 55mm

The following colour inserts are available;



Black



Brown



Green



Dolphin Grey



Yellow



Sky Blue



White



Beige



Red



Midnight Grey



Cobalt Blue



Hazard Orange*

Special colours are available upon request.

Cut and drilling service available.

*Only available in single nosings, not double nosings.


View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.




Heavy Duty Stair Nosings

Accessories


With medium-heavy duty carpet, tile, and heavy duty smooth flooring **this is the ideal choice**, available in standard lengths of 2.46m, 2.77m and 3.22m. Cutting and drilling service is available. Products marked (DDA) comply with the Disability Discrimination Act.



Single Square



Single Rake Back



Double Square



Double Rake Back

Code	
QAA-SNH-01	A: 60mm B: 32mm

Code	
QAA-SNH-02	A: 63mm B: 32mm

Code	
QAA-SNH-03	A: 91mm B: 32mm

Code	
QAA-SNH-04	A: 93mm B: 32mm

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Heavy Duty Stair Nosings


Accessories



Double Bullnose

Code
QAA-SNH-05


A: 91mm B: 35mm



Single Bullnose

Code
QAA-SNH-06

A: 70mm B: 40mm



Single Square DDA

Code
QAA-SNH-07

A: 60mm B: 55mm

The following colour inserts are available;



Black



Brown



Green



Dolphin Grey



Yellow



Sky Blue



White



Beige



Red



Midnight Grey



Cobalt Blue

Special colours are available upon request.
Cut and drilling service available.

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Standard Gripper & Premium Gripper Accessories

3 Floor Nail Specifications 3 Pin Heights


Dual Purpose Gripper, Concrete Nail Gripper and Wood Nail Gripper.

Short Pin 3.2mm (1/8")

Medium Pin 4.8mm (3/6")

Long Pin 6.4mm (1/4")

- for cord carpeting and some low tuft carpets.
- the more usual pin length, suitable for most types of carpet.
- for extra deep pile carpet and when using thicker underlay (eg. 11mm or thicker).



Standard Dual Purpose Gripper


Pre-nailed with dual purpose nails for wood and concrete subfloors.

Standard Concrete Nail Gripper

Pre-nailed with masonry nails, specially designed for ease and speed of installation and an exceptionally strong fixing on concrete subfloors.

Standard Wood Nail Gripper

Pre-nailed with specially tempered nails (threaded for ultimate holding power), for easy, fast installation on board and suspended timber subfloors.




Premium Dual Purpose Gripper

Premium Wood Nail Gripper

Premium Concrete Nail Gripper

QA Premium Gripper has 20% more nails and pins per length than our standard Gripper and is 28mm wide - giving better strength and stability for heavier, top quality carpets.

Code	Nail	Pin height	Size	Boxed
QAA-GST-DS	Dual	Short	5ft	500ft/box
QAA-GST-DN	Dual	Medium	5ft	500ft/box
QAA-GST-DD	Dual	Medium	5ft	40ft/box
QAA-GST-DL	Dual	Long	5ft	500ft/box
QAA-GST-CN	Concrete	Medium	5ft	500ft/box
QAA-GST-WN	Wood	Medium	5ft	500ft/box



Code	Nail	Pin height	Size	Boxed
QAA-GPR-DN	Dual	Medium	5ft	400ft/box
QAA-GPR-WN	Wood	Medium	5ft	400ft/box
QAA-GPR-CN	Concrete	Medium	5ft	400ft/box




View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Finishing Strips

A self-adhesive aluminium strip which conceals the expansion gap between the flooring and the skirting board for a neat, professional finish. Perfect for use with Luvanto Click flooring and other types of hard floorcoverings.

Code	Length	Qty per carton	Colour	RRP
QAA-FSP-WH	2.7m	10	White	£17.99/length
QAA-FSP-01	2.7m	10	White Oak	£17.99/length
QAA-FSP-02	2.7m	10	Washed Grey Oak	£17.99/length
QAA-FSP-03	2.7m	10	Vintage Grey Oak	£17.99/length
QAA-FSP-04	2.7m	10	Ebony	£17.99/length
QAA-FSP-05	2.7m	10	Country Oak	£17.99/length
QAA-FSP-06	2.7m	10	Harvest Oak	£17.99/length
QAA-FST-01	2.7m	10	Beige Stone	£17.99/length
QAA-FST-02	2.7m	10	Black Slate	£17.99/length




View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Scotia Beading Accessories

Scotia

Bridges the expansion gaps on laminate, engineered, and solid wood floors for a truly professional finish.



A: 16.5mm B: 16.5mm

Code	Length	Qty per carton	Colour	RRP
QAA-SCO-WH	2.4m	50	White	£4.98/length
QAA-SCO-OA	2.4m	50	Oak	£4.98/length
QAA-SCO-AO	2.4m	50	Antique Oak	£4.98/length
QAA-SCO-VO	2.4m	50	Virginia Oak	£4.98/length
QAA-SCO-WE	2.4m	50	Wenge	£4.98/length
QAA-SCO-BE	2.4m	50	Beech	£4.98/length
QAA-SCO-CH	2.4m	50	Cherry	£4.98/length
QAA-SCO-WA	2.4m	50	Walnut	£4.98/length
QAA-SCO-BL	2.4m	50	Black	£4.98/length
QAA-SCO-BSL	2.4m	50	Black Slate	£4.98/length
QAA-SCO-BST	2.4m	50	Beige Stone	£4.98/length

Code	Length	Qty per carton	Colour	RRP
QAA-SCO-CO	2.4m	50	Country Oak	£4.98/length
QAA-SCO-DW	2.4m	50	Dark Walnut	£4.98/length
QAA-SCO-EB	2.4m	50	Ebony	£4.98/length
QAA-SCO-HO	2.4m	50	Harvest Oak	£4.98/length
QAA-SCO-SB	2.4m	50	Steamed Beech	£4.98/length
QAA-SCO-VGO	2.4m	50	Vintage Grey Oak	£4.98/length
QAA-SCO-WB	2.4m	50	Washed Black	£4.98/length
QAA-SCO-WDG	2.4m	50	Washed Dark Grey	£4.98/length
QAA-SCO-WGO	2.4m	50	Washed Grey Oak	£4.98/length
QAA-SCO-WLG	2.4m	50	Washed Light Grey	£4.98/length
QAA-SCO-WO	2.4m	50	White Oak	£4.98/length



View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Heavy Duty Spray Adhesive

Suitable for most flooring applications including carpets, carpet tiles, underlays and textiles. Sticks to timber, chipboard, ceramic, stone, concrete, masonry, metals, most plastics, glass and rubber.



Standard Gripper Adhesive

A high quality, gunnable adhesive – ideal for gap filling, fixing stair nosings, door strips and carpet grippers to most flooring surfaces and refitting skirting boards and covings.



Fast Set Super Gripper Adhesive

A powerful, fast-setting, polyurethane adhesive ideal for fixing stair nosings, door strips, and carpet grippers to most floor surfaces. Exceptionally fast initial grab, with skin formation time of approx 3 minutes and a setting time of 8 to 10 minutes.

A choice of adhesives suited to different applications.

Code	Can content	Box quantity
QAA-ADH-SA	500ml	12 cans

Code	Can content	Box quantity
QAA-ADH-GA	350ml	12 tubes

Code	Can content	Box quantity
QAA-ADH-FG	300ml	12 tubes

View all our accessories online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.

Our Heatseam Tapes are specially designed to give a strong, stable fixing that exceeds **British Standards** for various types of carpets and installations.



Heatseam Tape

Ideal for felt backed carpets in moderate traffic areas, with a lower melt temperature to prevent damage to the carpet backing. It can also be an economical alternative to Super Heatseam Tape for seaming conventional woven or secondary jute backed carpets in light traffic areas.

Code	Width	Length	Box quantity
QAA-TAP-ST	4"	20m	10 rolls



Super Heatseam Tape

Designed for traditional woven or secondary jute back carpets in moderate traffic areas.

Code	Width	Length	Box quantity
QAA-TAP-SU	4"	20m	10 rolls



Gold Heatseam Tape

Perfect for conventional woven or secondary jute back carpets in light traffic areas - the metallised gold foil backing reduces heat loss into the floor, melting the adhesive more rapidly for faster seaming. It also slows down adhesive cooling giving you more time for pattern matching and allowing better control at lower temperatures for sensitive carpet piles and backings.

Code	Width	Length	Box quantity
QAA-TAP-GO	4"	20m	10 rolls

View all our accessories online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



QuickTech Tape

An innovative tape ideal for sticking down metal door trims, wooden gripper, skirting and dados, scotia, mouldings and more.



Double Sided Tape

Heavy duty double sided tape for securing felt backed carpets and other floor coverings.



Anti Plas Tape

Special double sided tape for vinyl flooring that doesn't allow adhesive from the tape to transfer to the vinyl (unlike standard Double Sided Tape).



Vapour Tape

A self adhesive seaming tape that creates an effective moisture barrier with improved joint seal protection and also strengthens underlay joints.

A comprehensive range of tapes for a **variety** of applications.

Code	Size	Box quantity
QAA-TAP-QT	19mm x 20m	20 rolls

Code	Size	Box quantity
QAA-TAP-DS	50mm x 50m	24 rolls

Code	Size	Box quantity
QAA-TAP-AP	50mm x 50m	24 rolls

Code	Size	Box quantity
QAA-TAP-VA	75mm x 25m	20 rolls

View all our accessories online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



Barrier Jointing Tape

A jointing tape that can be used with the Barrier wood underlays for added joint seal protection and also giving the underlay extra strength and stability.

Code	Size	Box quantity
QAA-TAP-BA	50mm x 15m	50 rolls



Black Cloth Tape

A strong, water-resistant tape that can be used over underlay joints to give extra strength and stability, ideal for stretch-fit carpet installation.

Code	Size	Box quantity
QAA-TAP-BC	50mm x 33m	24 rolls

View all our accessories online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



Tools – General Purpose

Accessories



Safety Dolphin® Knife

A general purpose safety knife featuring ergonomic hand protection and easy blade access. Comes complete with strong plastic holster and belt clip.

A range of **premium quality tools** for everyday general use.

Code
QAA-TOG-DK



Steel Blades

Packed in strong plastic boxes for extra safety.

Code	Type	Quantity
QAA-TOG-HD	Heavy Duty Straight Edge	100 per box
QAA-TOG-HO	Hooked	100 per box
QAA-TOG-CO	Concave	100 per box



Gripper Shear Stainless

A premium strength steel shear for easy cutting of all grades of carpet and tack strip. Spare blades and anvils available.

Code
QAA-TOG-GS



HD Tape Measure

A tough Imperial and metric tape measure, double riveted and with a 20% thicker blade so it'll extend further before reaching 'break'. Comes with strong protective ABS case.

Code	Size
QAA-TOG-TM	7.5m

Other tools may be available on request – please contact us on 0151 495 3434 to ask.



Tools – General Purpose Accessories



Concrete Nails Ring Shank Pre-Nails

19mm long, in 1kg Tub.

Code	Size	Quantity
QAA-TOG-CN	19mm	1kg per tub
QAA-TOG-RN	19mm	1kg per tub



Staple Hammer Tacker

Heavy duty model ideal for fastening thin materials such as underlay to the subfloor.

Code
QAA-TOG-HT



Staples

Packed 5000/box.

Code	Size	Quantity
QAA-TOG-S1	8mm	5000 per box
QAA-TOG-S2	12mm	5000 per box

Other tools may be available on request –
please contact us on **0151 495 3434** to ask.



Tools – General Purpose Accessories



Deluxe Extendable Kicker

A favourite with installers, this easily adjustable kicker has a thick replaceable buffer and wide head with 3 replaceable nap grips and adjustable steel pins.

Code
QAA-TOI-EK



Heatseaming Iron

Fully grooved base of teflon, which is easy to clean. Stand supplied.

Code
QAA-TOI-HI

Other tools may be available on request – please contact us on **0151 495 3434** to ask.



Reinforced Kraft Union Paper

A waterproof building paper that controls moisture to BS 1521 AF requirements.

Code	Size
QAA-FPA-KU	1m x 25m (25m ²)



Small Damp-Proof Polythene Membrane

Highly resistant to puncturing and suitable for use with underfloor heating systems, this protects against damp from concrete subfloors. It can be used either as an oversite membrane between a blinded hardcore bed and base concrete, or as a sandwich membrane in base concrete or between it and the screed.

Code	Size	Gauge
QAA-DPM-SC	2m x 5m (10m ²)	1000G



Large Damp-Proof Polythene Membrane

Highly resistant to puncturing and suitable for use with underfloor heating systems, this protects against damp from concrete subfloors. It can be used either as an oversite membrane between a blinded hardcore bed and base concrete, or as a sandwich membrane in base concrete or between it and the screed.

Code	Size	Gauge
QAA-DPM-LC	4m x 25m (100m ²)	1000G



Water Vapour Barrier

The perfect extra protection under wood flooring, this puncture-resistant barrier comes in a handy multifold pack and can be used with underfloor heating systems.

Code	Size	Gauge
QAA-DPM-VB	5m x 4m (20m ²)	600G

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



Floor Protection Accessories



Carpet Protector

Made from premium quality vinyl, the studded base grips on all types of carpet for long term damage protection in heavy traffic areas.

Code	Size	Colour
QAA-FPR-CP	680mm x 30m	Clear



Temporary Hard Surface Protection Film

During building renovation or DIY projects, this hard-wearing film protects against damage from dirt, dust spillages, paint, and general light debris. It can be laid in seconds with no taping needed and is easy to take up when you're finished - leaving no stains or residue. For stone, vinyl, wood, and laminate.

Code	Size	Colour
QAA-FPR-HF	100m x 0.6m	Blue



Temporary Carpet Protection Film

For carpet.

Code	Size	Colour
QAA-FPR-CF	100m x 0.6m	Clear



Coir Matting

Extremely tough and hardwearing, our coir matting is ideal for use in entrances and doorways that take very high traffic levels. Supplied in full rolls only.

Code	Size	Thickness
QAA-FPR-C1	1m x 12.5m (12.5m ²)	15mm

View all our accessories online at www.qaflooringsolutions.com or contact us on **0151 495 3434** for more information on any product.



Layflat Tubing

Clear polythene sleeving for use over carpet rolls, rugs, scotia and wood etc. to protect against moisture, dust and scratches.

Code	Size
QAA-PAC-L1	12"
QAA-PAC-L2	18"
QAA-PAC-L3	24"
QAA-PAC-L4	36"



Handywrap and Dispenser

Ideal for stretch wrapping loose bundles of products or carpet rolls, rugs and scotia, for example. Dispenser available for easier handling.

Code	Size	Box quantity
QAA-PAC-HW	100mm x 300m x 15micron	40 rolls
QAA-PAC-HD	-	-



Palletwrap

Heavy duty, maximum strength wrap for protecting and stabilising palletised items. Available in clear and black.

Code	Size	Box quantity
QAA-PAC-PW	400mm x 300m x 15micron	6 rolls



Parcel Tape and Dispenser

General purpose parcel tape suitable for any packing, available in two roll sizes in clear and brown. For easier handling, also order dispenser. Dispenser available for ease of handling (for 48mm rolls).

Code	Size	Qty per carton	Colour
QAA-PAC-P1	25mm x 66m	72 rolls	Clear
QAA-PAC-P2	48mm x 66m	36 rolls	Clear
QAA-PAC-PD	-	-	-

View all our accessories online at www.qaflooringsolutions.com or contact us on 0151 495 3434 for more information on any product.



HOW YOU CAN ORDER:

Phone us on **0151 495 3434** between 8.00am and 5.00pm Monday to Friday.

Send us a fax to **0151 427 0484**

Email us at **sales@qaflooringsolutions.com**

All orders are accepted subject to our Terms and Conditions of Sale – a copy of these is available on request.

OUR DELIVERY SERVICE:

We offer free 3-4 day delivery service throughout the UK and ROI for orders over £300 (ex.VAT).

We have to add a small carriage surcharge for:

- Next day delivery
- Orders less than £300.

All technical data provided in this publication is subject to variation. It is partly based on data from our suppliers and reflects the current level of industry expertise. It is not legally binding. Compliance with legal requirements remains the customer's own responsibility.

QA Flooring Solutions Ltd

Unit 2, Hurricane Drive,
Liverpool L24 8RL

Tel: 0151 495 3434

Fax: 0151 427 0484

Email: sales@qaflooringsolutions.com

www.qaflooringsolutions.com